



SunauraMachinery

Product Brochure

公司简介

Company Profile



暖晖集团始创于2008年，是一家专注于包装机械领域，集自主研发、工业设计、精密制造、全球营销与一站式服务于一体的现代化高新技术企业。深耕行业十余载，公司始终以科技创新为核心驱动力，以品质升级为发展基石，稳步成长为国内包装机械行业极具竞争力与影响力的标杆企业。公司生产基地规模雄厚，现有标准化生产建筑面积超48000平方米，生产配套体系完善。为保障产品精度与生产效率，企业全面配置高端智能化生产设备，先后引进瑞士激光切割机、加拿大数控折弯机、台湾CNC加工中心、全自动机器人焊接机等数十台国际先进数控精密设备，实现生产工序的精细化、智能化、标准化管控，为高品质产品生产筑牢硬件基础。在技术研发与品质管控层面，公司秉持精益求精的发展理念，组建了专业的技术研发团队，深耕包装机械技术迭代与创新应用，企业内部建立了科学严谨的现代化管理体系，生产效能与品控标准稳居行业前列。目前，公司已顺利通过ISO9001质量管理体系认证，全系产品斩获欧盟CE国际权威认证，生产标准与产品品质全面接轨国际市场。凭借强劲的科研实力，公司累计斩获二十余项发明专利与实用新型专利，核心产品自动捆扎机更是荣获国家科技部颁发的“技术创新奖”，技术创新能力获得官方权威认可。公司产品体系丰富完善、规格品类齐全，涵盖自动捆扎机、自动封箱机、真空包装机、收缩包装机、自动封口机等多款单机设备，同时可定制研发生产各类特殊规格、特殊工况的定制化包装机械设备。依托成熟的技术集成能力，公司可提供从开箱封底、自动装箱、封箱打包、智能码垛到缠绕覆膜的全流程自动化包装生产线整体解决方案，满足各行各业规模化、智能化、一体化的包装生产需求。凭借过硬的产品品质、亲民合理的定价体系、简约精致的产品外观以及全方位的售后保障服务，暖晖集团赢得了海内外客户的广泛信赖与深度认可。目前，公司产品远销欧洲、美洲、东亚、中东等全球100多个国家和地区，国内构建了覆盖全域、响应高效的销售与售后服务网络。企业凭借卓越的综合实力，先后斩获“中国包装优秀企业”“包装机械十大知名品牌”等多项行业重磅荣誉。人才与科技是企业发展的核心生产力，社会责任是企业长久发展的立身之本。暖晖集团始终坚持人才赋能、科技赋能、责任赋能的发展理念，重视人才培养与技术创新投入，积极践行社会公益事业。公司致力于打造一家团结互信、尊重人才、产销协同、多元发展的现代化企业，始终坚守核心使命：以高标准的包装机械产品与精细化的配套服务，持续超越客户的品质与服务期待，为全球包装行业高质量发展持续赋能。

Founded in 2008, Nuanhui Group is a professional high-tech enterprise engaged in packaging machinery, covering independent R&D, design, precision manufacturing, global sales and integrated services. After years of industry dedication, we have developed into a competitive and influential benchmark brand in China's packaging machinery sector. We own a standardized production base of over 48,000 square meters with complete supporting facilities. Equipped with dozens of world-class precision devices including Swiss laser cutters, Canadian CNC bending machines, Taiwanese CNC machining centers and robotic welding equipment, we implement refined and intelligent production management to ensure consistent product precision and stable quality. We uphold strict quality management and technological innovation. With a professional R&D team and standardized internal management system, we have obtained ISO9001 quality system certification and EU CE certification. We hold more than 20 invention and utility model patents, and our core automatic strapping machine has won the official "Technological Innovation Award", demonstrating our outstanding technical strength. Our diverse product lineup includes automatic strapping, box sealing, vacuum packaging, shrink packaging and automatic sealing machines, with support for customized equipment for special working conditions. We also provide full-intelligent packaging line solutions covering box opening, packing, sealing, palletizing and winding, catering to automated and large-scale packaging needs across various industries. Benefiting from reliable quality, cost-effective pricing, exquisite design and comprehensive after-sales service, our products are well received worldwide. We have built a sound domestic sales and service network and export to over 100 countries and regions in Europe, America, East Asia, the Middle East and beyond. We have been honored as "China Excellent Packaging Enterprise" and "Top Ten Well-known Brands of Packaging Machinery". Focusing on talent cultivation, technological R&D and social responsibility, Nuanhui Group strives to build a united, inclusive and diversified modern enterprise. We always adhere to our core mission: to deliver high-quality packaging machinery and professional services that exceed customer expectations, and contribute to the high-quality development of the global packaging industry.

产品证书及专利证书 Product Certificate and patent certificate



公司荣誉 Company Honor



暖晖机械
SUN AURA MACHINERY

- ◆ Outstanding Enterprise in China's Packaging Industry
- ◆ Well-known Brand of Packaging Machinery in China
- ◆ ISO9001:2015 Quality Management System Certification (Certified by SGS)
- ◆ ISO14001:2015 Environmental Management System Certification
- ◆ ISO45001:2018 Occupational Health & Safety Management System Certification
- ◆ EU CE Safety Certification for Full Range of Products (Issued by SGS)
- ◆ Enterprise Participated in Drafting Industry Standards for Automatic Packaging Equipment
- ◆ Demonstration Enterprise with Multiple Innovative Patents on Packaging Machinery

- ◆ 中国包装行业优秀企业
- ◆ 中国包装机械知名品牌
- ◆ ISO9001:2015 质量管理体系认证 (SGS 认证)
- ◆ ISO14001:2015 环境管理体系认证
- ◆ ISO45001:2018 职业健康安全管理体系认证
- ◆ 全系产品欧盟 CE 安全认证 (SGS 发证)
- ◆ 包装自动化设备行业标准参与起草单位
- ◆ 包装机械多项创新专利示范企业

车间视角 Workshop View



优质供应商 / Suppliers

SIEMENS

SMC

ABB

OMRON

MITSUBISHI
ELECTRIC

Schneider
Electric

应用行业 / Application Industry



合作客户 / Cooperative Clients

蒙牛

永和豆浆

inm

A.O. SMITH
史密斯

江中集团
JZIT

中国邮政
CHINA POST

京东

三精制药
Sanchine

华潤

一汽-大众
FAW-VOLKSWAGEN


DFM

CHNT
正泰


报喜鸟
SAINT ANGELO

亚马逊
amazon.cn


Bag Product Auto. Case Packing and Palletizing Line
袋装产品自动开装封及码垛包装线




Bottle Product Automatic Case Packing Line
瓶装产品自动开装封包装线



Box Product Auto. Case Packing & Palletizing Line
盒装产品自动开装封及码垛包装线





Auto. Case Packing and Palletizing Line
自动开箱手动装箱和自动封箱及码垛包装线




特性FEATURES

- ◆ 用CES4035N/A全自动开箱机将片状纸箱自动成型并封底; Use Carton Sealer to automatically make carton forming and bottom sealing;
- ◆ 人工将产品装入纸箱内并送入封箱机; Manually put the product into carton.
- ◆ 通过FX-AT5050D封箱机将纸箱顶部封箱; Seal the top of carton through FX-AT5050D Carton Sealing Machine.
- ◆ 通过SP120码垛机器人将箱子码垛到托盘上; Stacking carton onto pallets using the SP120 Palletizing Robot.


APL-CSS01 Auto. Case Packing Line
自动开箱手动装箱及自动封箱捆扎线



APL-CSS02 Auto. Case Packing Line
自动开箱手动装箱及自动封箱捆扎线




APL-CSS03 Auto. Case Sealing & Strapping Line
自动封箱捆扎线




特性FEATURES

- ◆ 人工折叠纸箱将产品装入纸箱内并送入封箱机; Manually fold the carton, put the product into carton and push to carton sealer.
- ◆ 通过FX-AT5050D封箱机将纸箱顶部和底部同时封箱; Seal the top & bottom of carton through the FX-AT5050D carton sealer.
- ◆ 通过两台APM8060C捆扎机和侧推输送带将箱子按井字形捆扎; Use two APM8060C Strapping Machines and a Push Conveyor to strapping carton.




APL-CSS04 Case Sealing & Strapping Line
自动封箱捆扎线




APL-CSS05H Case Sealing & Strapping Line
自动封箱捆扎线

特性FEATURES


- ◆ 人工折叠纸箱将产品装入纸箱内并送入封箱机; Manually fold the carton, put the product into carton & push to carton sealer.
- ◆ 通过AS523C封箱机将纸箱顶部和底部同时封箱; Seal the top & bottom of carton through the AS523C carton sealer.
- ◆ 通过AP8060捆扎机将纸箱捆扎; Use AP8060 Strapping Machine to strapping carton. (APL-CSS05H)
- ◆ 通过APM8060捆扎机将纸箱捆扎; Use APM8060 Strapping Machine to strapping carton. (APL-CSS05M)
- ◆ 台面高度/Height of Working table: 800mm for APL-CSS05H & 650mm for APL-CSS05M



APL-CSS05M Case Sealing & Strapping Line
自动封箱捆扎线




APL-CS06 Auto. Case Erector & Sealing Line 自动开箱手动装箱及自动封箱线



技术参数 TECHNICAL FEATURES


Suitable Cases/适用纸箱: L200-500mm
W150-400mm
H100-350mm
Height of table/台面高度: H650mm
Work speed/封箱速度: 1-10carton/min.
Air Source/气源: > 500L/min, 0.4~0.8 Mpa
Opp tape/使用胶带: W48mm-W60-75mmxL1000




特性FEATURES

- ◆ 用CES4035N/A全自动开箱机将片状纸箱自动成型并封底; Use Carton Sealer to automatically make carton forming and bottom sealing;
- ◆ 人工将产品装入纸箱内并送入封箱机, Manually put the product into carton. Seal the top & bottom of carton through the FX-AT5050D carton sealer.
- ◆ 通过FX-AT5050D封箱机将纸箱顶部和底部同时封箱; Seal the top & bottom of carton through the FX-AT5050D carton sealer.
- ◆ 通过AS723角边封箱机将箱子四个角封上; Use AS723 Seal carton-corn.

APL-CS07



APL-CS08A Auto. Case Sealing Line 自动工字型封箱线




For Random size carton
适用于多种规格随机纸箱



技术参数 TECHNICAL FEATURES

Suitable Cases/适用纸箱: L260-500mm
W200-500mm
H180-500mm
Height of table/台面高度: H650mm
Work speed/封箱速度: 1-15carton/min.
Air Source/气源: > 500L/min, 0.4~0.8 Mpa
Opp tape/使用胶带: W48mm-W60-75mm



APL-CS08M

With Fixed Format carton
适用于规格单一的固定尺寸纸箱

Auto. Carton Erector & Bottom Sealer 自动开箱封底机



链条式气动驱动 / Chain pneumatic drive

CES4035N/A & CES5040N/A & CES6050N/A

Power supply: 110V, 220-240V/50-60Hz
适用纸箱尺寸/Suitable Carton Size:
L200-530mm/W150-400mm/H100-350mm(CES4035N/A)
L200-650mm/W150-500mm/H100-400mm(CES5040N/A)
L400-730mm/W200-600mm/H200-500mm(CES6050N/A)
工作台面高度/Height of working table: 650mm
工作效率/Working Speed: 1-10cartons/min.

CES4035V/A & CES5040V/A
Servo Model with Speed up to 18cartons/min.



CES4035M 中速型 / Middle Speed

Power supply: 110V, 220-240V/50-60Hz
Suitable Case/适用纸箱:
L200-400mm*W120-350mm*H100-350mm
L+W<920mm, 1/2W+H<550mm
Work Speed/开箱速度: 5-18 cartons/min.
Height of table/台面高度: 650mm
Opp Tape Width/适用胶带宽度: 48mm or 60mm
Air Source/必要气压: > 500L/min, 0.4~0.8 Mpa



CES4030H 卧式高速型 / High Speed

Horizontal High Speed Carton Erector
卧式高速开箱机
Power supply: 3P 220V or 380V/50-60Hz
Suitable Case/适用纸箱:
L250-450mm*W150-400mm*H100-300mm
Work Speed/开箱速度: 20-30 cartons/min.
Height of table/台面高度: 900mm
Opp Tape Width/适用胶带宽度: 48mm or 60mm
Air Source/必要气压: 0.4~0.8Mpa 450nl/min.



重力滑动式 / Gravity sliding type


CES4035N & CES5040N & CES6050N

气源要求/Air Source: 0.4-0.8Mpa & >500L/min.
适用胶带宽度/Opp tape width: 48mm or 60mm
可选配置/Option: For all carton erector
◆ 西门子或三菱PLC及触摸屏 Siemens or Mitsubishi PLC & Touch Screen
◆ 75mm宽及贴边机芯/3inch width Tape Head
◆ 安全门开关/Safety door Switch
◆ 断带及缺带报警/Tape breakage and missing alarm



CER5040 机器人款式 / Robot Style

Power supply: 110V, 220-240V/50-60Hz
Suitable Case/适用纸箱:
L200-500mm*W120-400mm*H120-350mm
L+W<920mm, 1/2W+H<550mm
Work Speed/开箱速度: 15-25 cartons/min.
Height of table/台面高度: 650mm
Opp Tape Width/适用胶带宽度: 48mm or 60mm
Air Source/必要气压: > 500L/min, 0.4~0.8 Mpa



SCE5040 半自动款式 / Semi-automatic Style

Semi-Auto. Carton Erector 半自动开箱机
Power supply: 110V, 220-240V/50-60Hz
Suitable Case/适用纸箱:
L350-500mm*W250-350mm*H200-300mm
Work Speed/开箱速度: 5-10 cartons/min.
Height of table/台面高度: 650mm
Opp Tape Width/适用胶带宽度: 48mm or 60mm
Air Source/气源: 0.4~0.8Mpa 450nl/min.



定制款式 / Customized styles

CES5040/A & CES6050/A & CES7060/A

适用纸箱尺寸/Suitable Carton Size:
L200-530mm/W150-400mm/H100-350mm(CES5040/A)
L200-650mm/W150-500mm/H100-400mm(CES6050/A)
L400-730mm/W200-600mm/H200-500mm(CES7060/A)
工作效率/Working Speed: 1-14cartons/min.
可选/Option: 重力滑动式托架/Gravity sliding type
Other parameters are the same as the previous



CED15 直线款式 / Straight Style

Power supply: 110V, 220-240V/50-60Hz
Suitable Case/适用纸箱:
L250-550mm*W200-400mm*H120-350mm
L+W<920mm, 1/2W+H<550mm
Work Speed/开箱速度: 8-15 cartons/min.
Height of table/台面高度: 670-720mm
Opp Tape Width/适用胶带宽度: 48mm to 75mm
Air Source/必要气压: > 500L/min, 0.4~0.8 Mpa



AS923B 手动款式 / Manual Style

Automatic Bottom Flap-folding & Sealer
自动折底封箱一体机
Power supply: 110V, 220-240V/50-60Hz
Suitable Case/适用纸箱:
L200-500mm*W150-450mm*H120-570mm
Conveyor Speed/输送速度: 16m/min.
Height of table/台面高度: 650-780mm
Opp Tape Width/适用胶带宽度: 48mm or 60mm
Air Source/气源: 0.4~0.8Mpa 450nl/min.

Carton Sealing Machine
封箱机系列



FXJ6050
Carton Sealing Machine
半自动封箱机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 180W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH600mm
Min. Carton Size/最小纸箱尺寸: W150xH120mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1630x800x1330mm
Option: 3inch tape & overlap (Model FXJ6050/31)



FXJ5050I
Carton Sealing Machine
半自动封箱机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 180W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH500mm
Min. Carton Size/最小纸箱尺寸: W100xH100mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1660x850x1260mm
Option: 3inch tape & overlap (Model FXJ5050/31)



FXJ5050II
Carton Sealing Machine
半自动封箱机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 180W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH500mm
Min. Carton Size/最小纸箱尺寸: W100xH100mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1630x800x1230mm



FXJ6050B / FXJ8060B / FXJ9070B
Carton Sealing Machine
半自动封箱机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 270W
Max. Carton Size/最大纸箱尺寸: W500xH600mm(FXJ6050B)
Max. Carton Size/最大纸箱尺寸: W600xH800mm(FXJ8060B)
Max. Carton Size/最大纸箱尺寸: W700xH900mm(FXJ9070B)
Min. Carton Size/最小纸箱尺寸: W150xH120mm
Width Of Tape/胶带宽度: 50mm or 60mm or 75mm



FXJ6060 / FXJ8060
Carton Sealing Machine
半自动封箱机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 240W
Max. Carton Size/最大纸箱尺寸: W600xH600mm (FXJ6060)
Max. Carton Size/最大纸箱尺寸: W600xH800mm (FXJ8060)
Min. Carton Size/最小纸箱尺寸: W150xH120mm
Width Of Tape/胶带宽度: 50mm or 60mm or 75mm



BCS5050
Heavy Duty Carton Sealing Machine
半自动封箱机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 200W
Conveyor Speed/输送速度: 18m/min
Max. Carton Size/最大纸箱尺寸: W500xH500mm
Min. Carton Size/最小纸箱尺寸: W120xH120mm
Width Of Tape/胶带宽度: 50mm or 60mm



FX50 / FX60
Carton Bottom Sealing Machine
半自动封底机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 180W
Max. Carton Size/最大纸箱尺寸: W500mm x H∞(FX50)
Max. Carton Size/最大纸箱尺寸: W600mm x H∞(FX60)
Min. Carton Size/最小纸箱尺寸: W100xH100mm
Width Of Tape/胶带宽度: 50mm or 60mm



FXJ4030X
Carton Sealing Machine for E-commerce Box
半自动封箱机(电商款)
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 80W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W300xH400mm
Min. Carton Size/最小纸箱尺寸: W80xH90mm
Width Of Tape/胶带宽度: 48mm or 50mm




FXJ4030D
Carton Sealing Machine for E-commerce Box
半自动封箱机(电商款)
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 120W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W300xH400mm
Min. Carton Size/最小纸箱尺寸: W80xH40mm
Width Of Tape/胶带宽度: 48mm or 50mm

Auto. Carton Erector & Bottom Sealer
自动开箱封底机



AS123 (Top Sealing Model)
Carton Sealing Machine
半自动封箱机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 180W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH600mm
Min. Carton Size/最小纸箱尺寸: W100xH100mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1545x815x1475mm



AS523
Carton Sealing Machine
半自动封箱机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 240W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH520mm
Min. Carton Size/最小纸箱尺寸: W100xH80mm
Width Of Tape/胶带宽度: 50mm or 60mm
Option: 3inch tape & overlap (Model AS523/31)



AS423 (Side Sealing Type)
Carton Side Sealing Machine
半自动封箱机(侧封款)
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 180W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH500mm
Min. Carton Size/最小纸箱尺寸: W150xH70mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1100x900x1320mm



AS223 (Top Sealing Model)
Carton Sealing Machine
半自动封箱机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 180W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W580xH590mm
Min. Carton Size/最小纸箱尺寸: W100xH100mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1545x815x1475mm



AS823A (Random Model)
Carton Sealing Machine for Random size box
半自动封箱机(自动尺寸调节款)
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 240W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH500mm
Min. Carton Size/最小纸箱尺寸: W150xH120mm
Width Of Tape/胶带宽度: 50mm or 60mm
Air Source/气源: 0.4~0.8Mpa & 450l/min.



AS423B (Side Sealing Type)
Carton Side Sealing Machine
半自动封箱机(泡沫箱款)
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 180W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH500mm
Min. Carton Size/最小纸箱尺寸: W150xH70mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1900x900x1320mm



AS323 (Auto. Flap-folding Model)
Carton Sealing Machine
半自动封箱机
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 180W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: L600xW450xH600mm
Min. Carton Size/最小纸箱尺寸: L150xW160xH100mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1910x870x1535mm



AS823B (Random Model)
Carton Sealing Machine for Random or fixed box
半自动封箱机(自动调节尺寸或固定尺寸)
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 240W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH500mm
Min. Carton Size/最小纸箱尺寸: W150xH120mm
Width Of Tape/胶带宽度: 50mm or 60mm
Air Source/气源: 0.4~0.8Mpa & 450l/min.



AS623 (Suit for Bubble Box)
Carton Side Sealing Machine
半自动封箱机(水产泡沫箱款)
Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 240W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH430mm
Min. Carton Size/最小纸箱尺寸: W280xH100mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1000x900x1350mm

Carton Sealing Machine
封箱机系列



FX-AT5050/D (Auto. Flap-folding Model)

Carton Sealing Machine with auto. top flap folding device
自动折盖封箱机

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 240W
Conveyor Speed/输送速度: 18m/min
Max. Carton Size/最大纸箱尺寸: L600xW500xH500mm
Min. Carton Size/最小纸箱尺寸: L150xW120xH120mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1780x950x1400mm
Option: 3inch tape head (Model: FX-AT5050/3I)



FX-AT5050B (Random Model)

Carton Sealing Machine for Random size box
with automatic top flap folding device
自动折盖封箱机

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 240W
Conveyor Speed/输送速度: 18m/min
Max. Carton Size/最大纸箱尺寸: L600xW500xH500mm
Min. Carton Size/最小纸箱尺寸: L200xW120xH120mm
Width Of Tape/胶带宽度: 50mm or 60mm
Machine Size/机器尺寸: 1780x950x1640mm



FX-AT7060D (Auto. Flap-folding Model)

Carton Sealing Machine with auto. top flap folding device
自动折盖封箱机

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 360W
Conveyor Speed/输送速度: 18m/min
Max. Carton Size/最大纸箱尺寸: L700xW600xH700mm
Min. Carton Size/最小纸箱尺寸: L200xW150xH200mm
Width Of Tape/胶带宽度: 50mm or 60mm or 75mm



AS723 (Carton Corner Sealing Model)

Carton Sealing Machine for carton corner
自动角边封箱机

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 700W
Conveyor Speed/输送速度: 18m/min
Max. Carton Size/最大纸箱尺寸: L500xW500xH500mm
Min. Carton Size/最小纸箱尺寸: L320xW200xH180mm
Width Of Tape/胶带宽度: 50mm or 60mm or 75mm
Machine Size/机器尺寸: 1900x1130x1530mm



AS723A (Random Model)

Carton Sealing Machine for Random size box
自动角边封箱机(自动尺寸调节款)

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 700W
Conveyor Speed/输送速度: 18m/min
Max. Carton Size/最大纸箱尺寸: L500xW500xH500mm
Min. Carton Size/最小纸箱尺寸: L320xW200xH180mm
Width Of Tape/胶带宽度: 50mm or 60mm or 75mm
Machine Size/机器尺寸: 1900x1130x1530mm



AS723Z (Straight-line Model)

Carton Sealing Machine
自动角边封箱机(直进款)

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 700W
Conveyor Speed/输送速度: 18m/min
Max. Carton Size/最大纸箱尺寸: L500xW500xH500mm
Min. Carton Size/最小纸箱尺寸: L320xW200xH180mm
Width Of Tape/胶带宽度: 50mm or 60mm or 75mm



FXJ9050T (TV Model)

Carton Sealing Machine
自动封箱机(TV款)

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 270W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH900mm
Min. Carton Size/最小纸箱尺寸: L200xW150xH110mm
Width Of Tape/胶带宽度: 50mm or 60mm or 75mm



FXJ4030V ("+"Sealing Model)

Carton Sealing Machine
自动封箱机(配套十字封款)

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 240W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: L550xW350xH400mm
Min. Carton Size/最小纸箱尺寸: L200xW80xH90mm
Width Of Tape/胶带宽度: 50mm



FX4028R

Carton Tape Wrapping Machine
胶带缠绕封箱机

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 240W
Max. Carton Size/最大纸箱尺寸: L不限xW400xH280mm
Min. Carton Size/最小纸箱尺寸: L150xW80xH90mm
Width Of Tape/胶带宽度: 50mm

Auto. Cartoning Machine & Robot
自动装盒机 & 码垛机器人



AS523S

Carton Sealing Machine
半自动封箱机

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 240W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W500xH520mm
Min. Carton Size/最小纸箱尺寸: W100xH80mm
Width Of Tape/胶带宽度: 50mm or 60mm
Option: 3inch tape & overlap (Model AS523S/3I)



AS823V ("+"Sealing Model)

Carton Sealing Machine for Random size box
自动调节封箱机(配套十字封款)


Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 180W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: L500xW500xH500mm
Min. Carton Size/最小纸箱尺寸: L200xW150xH120mm
Width Of Tape/胶带宽度: 48mm or 60mm



FXJ4030L (With Labeling Model)

Carton Sealing Machine
自动封箱机(贴标款)

Power Supply/供给电源: 110V,220-240V/50-60Hz
Power/功率: 120W
Conveyor Speed/输送速度: 20m/min
Max. Carton Size/最大纸箱尺寸: W300xH400mm
Min. Carton Size/最小纸箱尺寸: L200xW80xH90mm
Width Of Tape/胶带宽度: 50mm



BZH120 (Horizontal Model)

Automatic Cartoning Machine
自动装盒机


Power Supply/供给电源: 3P, 220V or 380V/50-60Hz
Main Motor Power/功率: 750W
Working Speed/输送速度: 40-50Cartons/min.
Carton Size/适用纸箱尺寸: L80-220xW50-180xH15-80mm
Air Source/气源: 0.6~0.8Mpa 450nl/min.



BZH50 (Vertical Model)

Automatic Cartoning Machine
自动装盒机

Power Supply/供给电源: 3P, 220V or 380V/50-60Hz
Main Motor Power/功率: 750W
Working Speed/输送速度: 40-50Cartons/min.
Carton Size/适用纸箱尺寸: L65-220xW50-180xH15-80mm
Air Source/气源: 0.6~0.8Mpa 450nl/min.



BAPC8

Automatic A4 Paper Cartoning Machine
自动复印纸装箱机

Power Supply/电源电压: 3P,220V or 380V/50-60Hz
Paper Size/纸张规格: 国标A4, US Standard 216*279mm or 216*330mm or 216*356mm
Catoning PCS/装箱包数: 5/8/10pcs
Packing Speed/包装速度: 5-8cartons/min.
Air Source:1Mpa



SP120 / SP180

Palletizing Robot
码垛机器人

Power Supply/供给电源: 3P, 220V or 380V/50-60Hz
Maximum working radius/最大工作半径: 2403mm(SP120)
Maximum working radius/最大工作半径: 3238mm(SP180)
Max. Wrist Payload/手腕额定负载: 120kg (SP120)
Max. Wrist Payload/手腕额定负载: 180kg (SP120)
Repetitive Positioning Accuracy/重复定位精度: ±0.2mm



IRB460 / IRB660

Palletizing Robot
码垛机器人

Power Supply/供给电源: 3P, 220V or 380V/50-60Hz
Maximum working radius/最大工作半径: 2400mm(IRB460)
Maximum working radius/最大工作半径: 3150mm(IRB660)
Max. Wrist Payload/手腕额定负载: 110kg (IRB460)
Max. Wrist Payload/手腕额定负载: 180-250kg (IRB660)
Repetitive Positioning Accuracy/重复定位精度: ±0.2mm



BRP20/BRP20P & BRP50/BRP50P

Robot Palletizer
协作机器人码垛机

Power Supply/供给电源: 220V/50-60Hz
Maximum working diameter/最大工作直径: 1600mm(BRP20)
Maximum working diameter/最大工作直径: 1700mm(BRP50)
Maximum Loading/最大负载: 1600mm(BRP20)
Maximum Loading/最大负载: 1700mm(BRP50)
Palletizing Speed/码垛速度: 8-10 boxes/min.
Maximum Palletizing Height/最大码垛高度: 2100mm

Automatic Strapping Machine 自动捆扎机系列

Strapping Machine & Pallet Wrapping Machine 半自动捆扎机系列



AP8060/AP8040 (PLC Model)
Automatic Strapping Machine
全自动捆扎机
Power Supply/电源电压: 3P, 220V or 380V/50-60Hz
Strapping Tension/捆扎力: 40-600N Adjustable
Strapping Speed/捆扎速度: 2.18sec./cycle
Strap Width/适用机用带宽度: 9-15mm
Arch Size/框架尺寸: W800XH400mm (AP8040)
Arch Size/框架尺寸: W800XH600mm (AP8060)



AP8060/PC (PCB Model)
Automatic Strapping Machine
全自动捆扎机
Power Supply/电源电压: 110V or 220-240V/50-60Hz
Strapping Tension/捆扎力: 40-600N Adjustable
Strapping Speed/捆扎速度: 2.2sec./cycle
Strap Width/适用机用带宽度: 9-15mm
Arch Size/框架尺寸: W800XH600mm



AP8060C (Online Model)
Automatic Strapping Machine
在线式自动捆扎机
Power Supply/电源电压: 3P, 220V or 380V/50-60Hz
Strapping Tension/捆扎力: 40-600N Adjustable
Strapping Speed/捆扎速度: 2.18sec./cycle
Strap Width/适用机用带宽度: 9-15mm
Arch Size/框架尺寸: W800XH600mm



APM8060 (Low Table Model)
Automatic Strapping Machine
全自动捆扎机
Power Supply/电源电压: 3P, 220V or 380V/50-60Hz
Strapping Tension/捆扎力: 40-600N Adjustable
Strapping Speed/捆扎速度: 2.18sec./cycle
Strap Width/适用机用带宽度: 9-15mm
Arch Size/框架尺寸: W800XH600mm
Working Table Height/工作台面高度: 650mm



APM8060C (Online Model)
Automatic Strapping Machine
在线式自动捆扎机
Power Supply/电源电压: 3P, 220V or 380V/50-60Hz
Strapping Tension/捆扎力: 40-600N Adjustable
Strapping Speed/捆扎速度: 2.18sec./cycle
Strap Width/适用机用带宽度: 9-15mm
Arch Size/框架尺寸: W800XH600mm
Working Table Height/工作台面高度: 650mm



WG22XN (PCB Model)
Automatic Strapping Machine
全自动捆扎机
Power Supply/电源电压: 3P, 220V or 380V/50-60Hz
Strapping Tension/捆扎力: 100-500N Adjustable
Strapping Speed/捆扎速度: 2.5 sec./cycle
Strap Width/适用机用带宽度: 9-15mm
Arch Size/框架尺寸: W800XH600mm



APL1400CP
Automatic Pallet Strapping Machine
自动托盘穿剑式捆扎机
Power Supply/电源电压: 3P, 220V or 380V/50-60Hz
Strapping Speed/捆扎速度: 15 sec./cycle
Strap Width/适用机用带宽度: 12-15mm
Arch Size/框架尺寸: W1800XH2400mm



AP301A
Automatic Strapping Machine
全自动捆扎机
Power Supply/电源电压: 3P, 220V or 380V/50-60Hz
Strapping Tension/捆扎力: 100-500N Adjustable
Strapping Speed/捆扎速度: 2.5 sec./cycle
Strap Width/适用机用带宽度: 9-15mm
Arch Size/框架尺寸: W800XH600mm

Standard Color:
Light Gray & Red



APH105A
Automatic Pallet Horizontal Strapping Machine
自动水平式捆扎机
Power Supply/电源电压: 3P, 220V or 380V/50-60Hz
Strapping Speed/捆扎速度: 15 sec./cycle
Strapping Tension/捆扎力: 10-90kg Adjustable
Strap Width/适用机用带宽度: 9-15mm
Arch Size/轨道尺寸: L1500XW1500mm



SM10H
Semi-auto Strapping Machine
半自动捆扎机
Power Supply/电源电压: 110V, 220V/50-60Hz
Strapping Tension/捆扎力: 40-400N Adjustable
Strapping Speed/捆扎速度: 1.5 sec./cycle
Strap Width/适用机用带宽度: 9-15mm



SM10T
Semi-auto Strapping Machine
半自动捆扎机
Power Supply/电源电压: 110V, 220V/50-60Hz
Strapping Tension/捆扎力: 40-400N Adjustable
Strapping Speed/捆扎速度: 1.5 sec./cycle
Strap Width/适用机用带宽度: 9-15mm



SM10L
Semi-auto Strapping Machine
半自动捆扎机



KZBT
Tabletop Strapping Machine
台式捆扎机
Strapping Tension/捆扎力: 40-100N Adjustable
Strapping Speed/捆扎速度: 5 sec./cycle
Strap Width/适用机用带宽度: 6-12mm



KZB-I
Semi-auto Strapping Machine
半自动捆扎机
Power Supply/电源电压: 110V, 220V/50-60Hz
Strapping Tension/捆扎力: 40-400N Adjustable
Strapping Speed/捆扎速度: 1.5 sec./cycle
Strap Width/适用机用带宽度: 9-15mm



KZB-II
Semi-auto Strapping Machine
半自动捆扎机
Power Supply/电源电压: 110V, 220V/50-60Hz
Strapping Tension/捆扎力: 40-400N Adjustable
Strapping Speed/捆扎速度: 1.5 sec./cycle
Strap Width/适用机用带宽度: 9-15mm



DBA130A
Semi-auto. Pallet Strapping Machine
半自动栈板捆扎机
Power Supply/电源电压: 3P, 220V or 380V/50-60Hz
Strapping Speed/捆扎速度: 2.5 sec./cycle
Strapping Tension/捆扎力: 40-600N Adjustable
Strap Width/适用机用带宽度: 9-15mm
Chute Size/轨道尺寸: L1000mm



BRO-305RP
High Speed Corrugated Strapping Machine
全自动捆扎机
Power Supply/电源电压: 220V, 50-60Hz 1KW
Strapping Speed/捆扎速度: Up to 25bundles/min.
PP Strap Size/捆扎带规格: W5mm or 6mm, T0.5-0.8mm
Arch Size/龙门架尺寸: W1250*H500mm
Min. bundle Size: L250*W200*H60mm
Working Table Height: 850mm
Air Source: 0.4-0.6Mpa

- * High Speed
- * Hinged Roller Table
- * All Electric Driven Design
- * Good for Small Bundle
- * Motorized Full-width Press
- * Multiple Operation Modes
- * Automatic Bundle Size Setup System



BRO-305RP
High Speed Corrugated Strapper With Integrated Squaring System
高速瓦楞箱捆扎机 (带自动整齐理料输送线)
Power Supply/电源电压: 3Phase, 220V/60Hz or 380V/50-60Hz 2.4KW
Strapping Speed/捆扎速度: Up to 25bundles/min.
PP Strap Size/捆扎带规格: W5mm or 6mm, T0.5-0.8mm
Arch Size/龙门架尺寸: W1250*H500mm
Min. bundle Size: L250*W200*H60mm
Working Table Height: 850mm
Air Source: 0.4-0.6Mpa

Automatic L-Bar Sealer & Shrink Packager 自动封切机及收缩包装机系列



FQL450LA + BSD4525W

Automatic L-Bar Sealer & Shrink Packager

全自动L型封切 & 收缩包装机

Power Supply/电源电压: 1P for L-Bar Sealer & 3P for Shrink Packager
L-Bar Sealer Option Timer control or PLC with Touch Screen control
L型封切机可选用时间继电器控制或PLC带触摸屏控制;
L-Bar Sealer are option size with FQL450LA / FQL550LA / FQL650LA
封切机可根据不同产品尺寸选择不同型号;
Shrink Packager are option any size according product size
收缩包装机可根据产品尺寸选购/定制任意尺寸
Available choose any style of shrinkage furnace matching L-Bar sealer
可选择任意款式收缩炉配套封切机



ASS450 + BTV4530

Automatic Side Sealer & Shrink Packager

全自动L型封切 & 收缩包装机

Power Supply/电源电压: 1P for L-Bar Sealer & 3P for Shrink Packager
Side Sealer Option Timer control or PLC with Touch Screen control
自动边封机可采用时间继电器控制或PLC带触摸屏控制;
Side Sealer are option size with ASS450 / ASS550 / ASS650
封切机可根据不同产品尺寸选择不同型号;
Shrink Packager are option any size according product size
收缩包装机可根据产品尺寸选购/定制任意尺寸
Available choose any style of shrinkage furnace matching Side sealer
可选择任意款式收缩炉配套封切机



FQL450A + BSD4525A (Economy Model)

Semi-automatic L-Bar Sealer & Shrink Packager

半自动L型封切 & 收缩包装机

Power Supply/电源电压: 1P for L-Bar Sealer & 3P for Shrink Packager
L-Bar Sealer are Option Manual operation (FQL450A) or Timer control operation (FQL450T) 封切机可选用手动操作 (FQL450A) 或气动控制 (FQL450T);
Shrink Packager are option any size according product size
收缩包装机可根据产品尺寸选购/定制任意尺寸
Available choose any style of shrinkage furnace matching L-Bar sealer
可选择任意款式收缩炉配套封切机



ST6040Z + BSE6040A (In-line Feed Model)

Automatic Sleeve Sealer & Shrink Packager

自动袖口式封切 & 收缩包装机

Auto in-line feeding, suitable for sleeve wrapping trayed products, cartons, single or in groups, at high speed. Versatile in packing size, three-blade design, seals tight and strong; Sealing jaw openness adjustable to ensure the welding line at the center of the product.
自动直进式, 适用于袖口包装托盘产品、纸箱等, 可独立也可以成组包装, 速度快;
机器采用三切刀设计, 确保封口牢固;
Stainless heating tubes and strong blowing motor ensure high heating efficiency, large air volume and uniform air circulation. Solid metal rods wrapped by heat-resistance silicone tubes make the Conveyor rollers strong and resilient
不锈钢加热管和强劲的风机确保了加热效率, 风量大, 热气流通均匀, 确保收缩美观;
实心金属辊轴包裹耐热硅胶管使输送辊坚固且确保产品表面收缩美观。



ST6040A + BSE6040A (Model)

Automatic Sleeve Sealer & Shrink Packager

自动袖口式封切 & 收缩包装机

Auto side-feeding + lane separating, suitable for sleeve-wrapping un-trayed beverage and other bottles or cans. Versatile in packing size, three-blade design, seals tight and strong.
自动侧送+分道整理, 适用于无托盘饮料和其他瓶或罐的套膜包装。包装尺寸范围广, 三切刀设计, 密封紧密牢固, 速度快;
Stainless heating tubes and strong blowing motor ensure high heating efficiency, large air volume and uniform air circulation. Solid metal rods wrapped by heat-resistance silicone tubes make the Conveyor rollers strong and resilient
不锈钢加热管和强劲的风机确保了加热效率, 风量大, 热气流通均匀, 确保收缩美观;
实心金属辊轴包裹耐热硅胶管使输送辊坚固且确保产品表面收缩美观。



ST6040Q + BSE6040B (Model)

Semi-auto. Sleeve Sealer & Shrink Packager

半自动袖口式封切 & 收缩包装机

Semi-auto PE sleeve wrapping, suitable for single or group packing bottles, electric appliances, cartons.
半自动PE套膜包装, 适用于单个或成组包装, 如瓶子、电器、纸箱。

Automatic L-Bar Sealer & Sleeve Sealer 自动L型封切机及袖口封切机系列



FQL450LA / FQL650LA

Automatic L-Bar Sealer

自动L型封切机

Sealing Size/封切尺寸: L560XW450 / L760XW650mm
Max. Packing size / 最大包装尺寸: L+H < 520mm & H < 130mm
Max. Packing size / 最大包装尺寸: W+H < 430mm & H < 130mm
Capacity/包装速度: 15-25pcs/min.
Applicable Film/适用收缩膜: POF or PE
Air Source/气源: 0.5-0.6Mpa, 450nl/min.



ASS450 / ASS650

Automatic L-Bar Sealer

自动边封封切机

Sealing Size/封切刀尺寸: L500mm, H150mm
Vertical Sealing Size/纵封刀尺寸: L500mm, H150mm
Max. Packing size / 最大包装尺寸: W+H < 400mm (ASS450)
Max. Packing size / 最大包装尺寸: W+H < 600mm (ASS650)
Max. Packing size / 最大包装尺寸: Length unlimited
Capacity/包装速度: 20-40pcs/min.
Applicable Film/适用收缩膜: POF or PE
Air Source/气源: 0.6-0.8Mpa, 450nl/min.



FQL450A

Semi-automatic L-Bar Sealer

半自动L型封切机

Max. Packing size / 最大包装尺寸: L+H < 560mm
Max. Packing size / 最大包装尺寸: W+H < 420mm
Capacity/包装速度: 5-15pcs/min.
Applicable Film/适用收缩膜: POF or PVC
Conveyor Loading/输送载重: 25kg Max.



FQL450T

Pneumatic L-Bar Sealer

气动L型封切机

Max. Packing size / 最大包装尺寸: L+H < 560mm
Max. Packing size / 最大包装尺寸: W+H < 420mm
Capacity/包装速度: 5-15pcs/min.
Applicable Film/适用收缩膜: POF or PVC
Conveyor Loading/输送载重: 25kg Max.



FQS450

Combi L-bar sealer & shrink packager

L型封切收缩组合一体机

Max. Sealing size / 封切刀尺寸: L570XW470mm
Tunnel size / 收缩炉尺寸: L700XW400XH200mm
Max. Packing size / 最大包装尺寸: L400XW300XH150mm
Capacity/包装速度: 5-15pcs/min.
Applicable Film/适用收缩膜: POF or PVC



BLA8060

Pneumatic L-Bar Sealer

气动L型封切机

Max. Packing size / 最大包装尺寸: L+H < 780mm
Max. Packing size / 最大包装尺寸: W+H < 550mm
Capacity/包装速度: 5-15pcs/min.
Applicable Film/适用收缩膜: POF or PVC
Conveyor Loading/输送载重: 25kg Max.



ST6040A

Automatic Sleeve Sealer

全自动袖口式封切机

Sealing size / 封刀尺寸: L650X380mm
Max. Packing size / 最大包装尺寸: L400XW300XH300mm
Capacity/包装速度: 5-10pcs/min.
Applicable Film/适用收缩膜: PE
Air Source/气源: 0.6-0.8Mpa, 450nl/min.



ST6040Q

Semi-automatic Sleeve Sealer

半自动袖口式封切机

Sealing size / 封刀尺寸: L650X380mm
Max. Packing size / 最大包装尺寸: L400XW300XH300mm
Capacity/包装速度: 5-8pcs/min.
Applicable Film/适用收缩膜: PE
Air Source/气源: 0.6-0.8Mpa, 450nl/min.



ST6040Z

Automatic In-line Sleeve Sealer

自动直进料袖口式封切机

Sealing size / 封刀尺寸: L650X380mm
Max. Packing size / 最大包装尺寸: L400XW300XH300mm
Capacity/包装速度: 5-14pcs/min.
Applicable Film/适用收缩膜: PE
Air Source/气源: 0.6-0.8Mpa, 450nl/min.

Shrink Packaging Machine 收缩包装机系列



BSD4020A / BSD4525A
Shrink Packaging Machine
收缩包装机
Tunnel Size/收缩炉尺寸: 1000X400X200mm(BSD4020A)
1000X450X250mm(BSD4525A)
Capacity/输送速度: 1-15m/min.
Heater Power/加热功率: 6.5KW (BSD4020A)
Heater Power/加热功率: 8KW (BSD4525A)
Applicable Film/适用收缩膜: POF or PVC
Option/可选: Metal Rods or Mesh type/链排轴或网式



BSD350B / BSD400B / BSD450B
Shrink Packaging Machine
收缩包装机
Tunnel Size/收缩炉尺寸: 830X350X150mm(BSD350B)
830X400X200mm(BSD400B) , 830X450X250mm(BSD450B)
Capacity/输送速度: 1-12m/min.
Heater Power/加热功率: 5KW (BSD350B)
6.5KW (BSD400B) 8KW (BSD450B)
Applicable Film/适用收缩膜: POF or PVC
Option/可选: Metal Rods or Mesh type/链排轴或网式



BSD4525W
Shrink Packaging Machine
收缩包装机
Tunnel Size/收缩炉尺寸: 1200X450X250mm
Capacity/输送速度: 1-15m/min.
Heater Power/加热功率: 13KW
Applicable Film/适用收缩膜: POF or PVC
Option/可选: Metal Rods or Mesh type/链排轴或网式



BSD350 / BSD400 / BSD450
Shrink Packaging Machine
收缩包装机
Tunnel Size/收缩炉尺寸: 830X350X150mm(BSD350)
830X400X200mm(BSD400) , 830X450X250mm(BSD450)
Capacity/输送速度: 1-12m/min.
Heater Power/加热功率: 5KW (BSD350B)
6.5KW (BSD400) 8KW (BSD450)
Applicable Film/适用收缩膜: POF or PVC
Option/可选: Metal Rods or Mesh type/链排轴或网式



BSD4525C / BSD4535C
Shrink Packaging Machine
收缩包装机
Tunnel Size/收缩炉尺寸: 900X450X50-250mm
1200X450X50-350mm(BSD4535C)
Capacity/输送速度: 1-10m/min.
Heater Power/加热功率: 7.5KW (BSD4525C)
10KW (BSD4535C)
Applicable Film/适用收缩膜: POF or PVC
Option/可选: Metal Rods or Mesh type/链排轴或网式



BTV4530L / BTV5030L
Shrink Packaging Machine
收缩包装机
Tunnel Size/收缩炉尺寸: 120X450X300mm
1500X500X300mm(BTV5030L)
Capacity/输送速度: 1-10m/min.
Heater Power/加热功率: 12KW (BTV4530L)
15KW (BTV5030L)
Applicable Film/适用收缩膜: POF or PVC



BSE4530 / BSE5040 / BSE6050
PE Film Shrink Packing Machine
PE膜收缩包装机
Tunnel Size/收缩炉尺寸: 1200X450X300mm(BSE4530)
1500X500X400mm(BSE5040) , 1800X600X500mm(BSE6050)
Capacity/输送速度: 1-10m/min.
Heater Power/加热功率: 16KW (BSE4530)
20KW (BSE5040) 24KW (BSE6050)
Applicable Film/适用收缩膜: POF or PE
Option/可选: Metal Rods or Mesh type/链排轴或网式



BSE45030A / BSE5040A / BSE6050A
PE Film Shrink Packing Machine
PE膜收缩包装机
Tunnel Size/收缩炉尺寸: 1200X450X300mm(BSE4530A)
1500X500X400mm(BSE5040A) , 1800X600X500mm(BSE6050A)
Capacity/输送速度: 1-10m/min.
Heater Power/加热功率: 11KW (BSE4530A)
18KW (BSE5040A) 24KW (BSE6050A)
Applicable Film/适用收缩膜: POF or PE
Option/可选: Metal Rods or Mesh type/链排轴或网式



FM5540 / FM7060
2 In 1 Shrink Packaging Machine
收缩包装机
Sealing Size/收缩炉尺寸: L550XW400mm(FM5540)
L700XW600mm(FM7060)
Capacity/包装速度: 1-5pcs/min.
Heater Power/加热功率: 4KW (FM5540)
5KW (FM7060)
Applicable Film/适用收缩膜: POF or PVC
Option/可选: Conveyor Feedout /输送出料 FM5540A

Automatic Sealer & Shrink Packager 自动封切机及收缩包装机系列



BSD1230X (Without Conveyor)
Label Shrink Packing Machine
标签收缩包装机 (不带输送带)
Tunnel Size/收缩炉尺寸: L1500XW150XH400mm
Max. Packing Size: Φ 120XH350mm
Capacity/输送速度: 8000-12000pcs/hour
Heater Power/加热功率: 18KW
Applicable Film/适用收缩膜: POF or PVC



BSD1230L
Label Shrink Packing Machine
标签收缩包装机
Tunnel Size/收缩炉尺寸: L1500XW120XH300mm
Max. Packing Size: Φ 100XH280mm
Capacity/输送速度: 8000-12000pcs/hour
Heater Power/加热功率: 15KW
Applicable Film/适用收缩膜: POF or PVC



BSS4020
Combi Sleeve Sealer & Shrink Packing Machine
袖口封切收缩组合一体机
Power Supply: 3P, 220V or 380V/50-60Hz 8KW
Max. Sealing size /最大封切尺寸: L400XH200mm
Tunnel size /收缩炉尺寸: L1200XW400XH200mm
Capacity/包装速度: 5-10pcs/min.
Applicable Film/适用收缩膜: PE



BSD1535ST
Steam Label Shrinking Machine
蒸汽标签收缩机
Tunnel Size/收缩炉尺寸: L1500XW150XH350mm
Max. Packing Size: Φ 120XH350mm
Capacity/输送速度: 6000-10000pcs/hour
Steam Generator Power/蒸汽发生器功率: 18/24KW option
Applicable Film/适用收缩膜: POF or PVC



BSD1535S
Label Shrink Packing Machine
标签收缩包装机
Tunnel Size/收缩炉尺寸: L700XW150XH350mm
Max. Packing Size: Φ 120XH350mm
Capacity/输送速度: 5000-8000pcs/hour
Heater Power/加热功率: 4KW
Applicable Film/适用收缩膜: POF or PVC




ST1230AF+BSE8040A
Automatic Four Side Sealing & Shrink Packing Machine
全自动四边封切&收缩包装机
Power Supply: 3P, 220V or 380V/50-60Hz
Power: 3KW for Packing Machine & 40KW for Shrink Packager
Max. Packing size /最大包装尺寸: L unlimited, W+H<1100, H<3000mm
Sealing Bar Size: 1000mm
Tunnel size /收缩炉尺寸: L1800XW800XH400mm
Capacity/包装速度: 3-10 pcs/min.
Applicable Film/适用收缩膜: POF or PE



BSL150 & BSL250D
Automatic Sleeve Labeling Machine
自动套标机 & 双头套标机
Power Supply/电源: 3P, 220V or 380V/50-60Hz 3KW
Suitable Bottle Diameter/瓶身直径: Φ 28-120mm
Suitable Label Length/适用标签长度: 30-250mm
Working Speed/工作效率: 150bottle/min. (BSL150)
300bottles/min. (BSL250D)



BSRP500
Servo Control Reciprocating Packaging Machine
伺服控制往复式包装机
Power Supply: 3P, 220V or 380V/50-60Hz
Power: 4.75KW for Packing Machine & 13.5KW for Shrink Packager
Max. Packing size /最大包装尺寸: L80-450XW20-200XH5-90mm
Max. Film Width: 590mm
Tunnel size /收缩炉尺寸: L2300XW200XH250mm
Capacity/包装速度: 30-175pcs/min.
Applicable Film/适用收缩膜: POF



Shrink Film
收缩膜
Film Width/收缩膜宽度: 135-800mm
Thickness/厚度: 12, 15, 19, 25 micron (POF)
12, 15, 20 micron (PVC)
60, 80, 100 micron (PE)

Vacuum Packaging Machine 真空包装机系列



VM400TE/A & VM400TE/B & VM400TE/C
Tabletop Vacuum Packaging Machine
台式真空包装机
Chamber Size/真空室尺寸: 440X420X75mm
Sealing-bar Size/热封条尺寸: 400X10mm
VM400TE/A(Single bar) & VM400TE/B(Double bar)
Pump Capacity/真空泵: 900W / 20m³
Vacuum Time/真空循环时间: 10-25 sec.
Options: Nitrogen Filling Function 可选充氮气功能



VM500TE/A & VM500TE/B
Tabletop Vacuum Packaging Machine
台式真空包装机
Chamber Size/真空室尺寸: 525X525X100mm
Sealing-bar Size/热封条尺寸: 500X10mm
VM500TE/A(Single bar) & VM500TE/B(Double bar)
Pump Capacity/真空泵: 900W / 20m³
Vacuum Time/真空循环时间: 15-30 sec.
Options: Nitrogen Filling Function 可选充氮气功能



VM300TE/A
Tabletop Vacuum Packaging Machine
台式真空包装机
Chamber Size/真空室尺寸: 400X300X50mm
Sealing-bar Size/热封条尺寸: 280X8mm
Pump Capacity/真空泵: 375W / 10m³
Vacuum Time/真空循环时间: 10-25 sec.



VM620E/A & VM620E/B & VM620E/C
Tabletop Vacuum Packager
台式真空包装机
Chamber Size/真空室尺寸: 637*540*145mm
Sealing Bar Size/封条尺寸: 620*10mm (A&C)
520*10mm for VM620E/B model
Distance between Sealing Bar:
547mm for B model & 470mm for C model.
Pump Capacity/真空泵: 900W/25m³
Vacuum Time/真空循环时间: 15-25sec.



VM400E/A & VM400E/B
Vacuum Packaging Machine
真空包装机
Chamber Size/真空室尺寸: 440X420X75mm
Sealing-bar Size/热封条尺寸: 400X10mm
VM400E/A(Single bar) & VM400E/B(Double bar)
Pump Capacity/真空泵: 900W / 20m³
Vacuum Time/真空循环时间: 10-25 sec.
Options: Nitrogen Filling Function 可选充氮气功能



VM500E/A & VM500E/B
Vacuum Packaging Machine
真空包装机
Chamber Size/真空室尺寸: 525X525X100mm
Sealing-bar Size/热封条尺寸: 500X10mm
VM500E/A(Single bar) & VM500E/B(Double bar)
Pump Capacity/真空泵: 900W / 20m³
Vacuum Time/真空循环时间: 15-30 sec.
Options: Nitrogen Filling Function 可选充氮气功能



VM600E/A & VM600E/B
Vacuum Packaging Machine
真空包装机
Chamber Size/真空室尺寸: 625X625X100mm
Sealing-bar Size/热封条尺寸: 600X10mm
VM600E/A(Single bar) & VM600E/B(Double bar)
Pump Capacity/真空泵: 1.5KW / 40m³
Vacuum Time/真空循环时间: 10-20 sec.
Options: Nitrogen Filling Function 可选充氮气功能



VM8060E/B & VM8035E/B
Vacuum Packaging Machine
真空包装机
Chamber Size/真空室尺寸: 800X625X150mm
Chamber Size/真空室尺寸: 800X375X150mm
Sealing-bar Size/双封条尺寸: 600X10mm
Sealing-bar Size/双封条尺寸: 350X10mm
Pump Capacity/真空泵: 1.5KW / 40m³
Vacuum Time/真空循环时间: 10-20 sec.
Options: Nitrogen Filling Function 可选充氮气功能



VM400C & VM500C
Vacuum Packaging Machine
真空包装机
Chamber Size/真空室尺寸: 440X420X75mm
Chamber Size/真空室尺寸: 525X525X100mm
Sealing-bar Size/封条尺寸: 400X10mm
Sealing-bar Size/封条尺寸: 500X10mm
Pump Capacity/真空泵: 900W / 20m³
Options: Nitrogen Filling Function 可选充氮气功能
Available with single Sealing bar or double sealing bar.



VM400R & VM500R
Vacuum Packaging Machine
真空包装机
Chamber Size/真空室尺寸: 440X420X75mm
Chamber Size/真空室尺寸: 525X525X100mm
Sealing-bar Size/封条尺寸: 400X10mm
Sealing-bar Size/封条尺寸: 500X10mm
Pump Capacity/真空泵: 900W / 20m³
Options: Nitrogen Filling Function 可选充氮气功能
Available with single Sealing bar or double sealing bar.



VM400TC & VM500TC
Table Vacuum Packaging Machine
台式真空包装机
Available with single Sealing bar or double sealing bar.
All the other specification same as VM400C & VM500C



VM320A
Tabletop Vacuum Packaging Machine
台式真空包装机
Chamber Size/真空室尺寸: 400X330X50mm
Sealing-bar Size/单封条尺寸: 320X8mm
Pump Capacity/真空泵: 375W / 10m³
Vacuum Time/真空循环时间: 10-25 sec.



Double Chamber Vacuum Packing Machine 双室真空包装机系列



DZ400/2SB & DZ500/2SB & DZ600/2SB
Double Chamber Vacuum Packing Machine
双室真空包装机
Chamber Size/真空室尺寸: 540X470X50mm(DZ400/2SB)
540X570X50mm(DZ500/2SB) 540X670X50mm(DZ600/2SB)
Sealing-bar Size/双封条尺寸: 400X10mm(DZ400/2SB)
500X10mm(DZ500/2SB) & 600X10mm(DZ600/2SB)
Pump Capacity/真空泵: 900W / 20m³ (DZ400/2SB)
2PCS 20m³ for DZ500/2SB & 1.5KW/40m³ for DZ600/2SB
Options: Nitrogen Filling Function 可选充氮气功能



DZ600/4SB (4 Sealing Bar Model)
Double Chamber Vacuum Packing Machine
双室平板真空包装机 (四封条)
Chamber Size/真空室尺寸: 750X705X90mm
4 Pcs Sealing-bar Size/四封条尺寸: 600X10mm
Pump Capacity/真空泵: 1.5KW/40m³
Distance between sealing bar 封条中心距: 250mm
Options: Nitrogen Filling Function 可选充氮气功能



DZP680/2SA & DZP850/2SA
Double Chamber Vacuum Packing Machine
双室平板真空包装机 (自动摆盖)
Chamber Size/真空室尺寸: 700X550X150mm(DZP680/2SA)
880X600X150mm(DZP850/2SA)
Sealing-bar Size/双封条尺寸: 680X10mm(DZP680/2SA)
850X10mm(DZP850/2SA)
Distance between sealing bar 封条中心距: 500mm & 540mm
Pump Capacity/真空泵: 3KW/100m³ (DZP680/2SA)
5KW/200m³ (DZP850/2SA)
Automatic Cover closing 自动摆盖功能



DZP500/2SB & DZP600/2SB
Double Chamber Vacuum Packing Machine
双室真空包装机
Chamber Size/真空室尺寸: 540X660X120mm(DZP500/2SB)
600X760X120mm(DZP600/2SB)
Sealing-bar Size/双封条尺寸: 520X10mm(DZP500/2SB)
620X10mm(DZP600/2SB)
Pump Capacity/真空泵: 2PCS 900W / 20m³ (DZP500/2SB)
3PCS 20m³ or 1.5KW/40m³ for DZP600/2SB are option
Options: Nitrogen Filling Function 可选充氮气功能



DZ1000C & DZ1200C
Continuous Vacuum Packing Machine
连续式真空包装机
Chamber Size/真空室尺寸: 1225X430X100mm(DZ1000C)
1400X430X100mm(DZ1200C)
Sealing-bar Size/双封条尺寸: 1000X10mm(DZ1000C)
1200X10mm(DZ1200C)
Distance between sealing bar 封条中心距: 650mm
Pump Capacity/真空泵: 2.7KW/100m³ (DZ1000C)
4KW/150m³ (DZ1200C)
Options: other capacity pump 可选其它容量的真空泵
Touch Screen 触屏控制



DZP620/2SA & DZP720/2SA
Double Chamber Vacuum Packing Machine
双室平板真空包装机 (自动摆盖)
Chamber Size/真空室尺寸: 650X550X150mm(DZP620/2SA)
750X600X150mm(DZP720/2SA)
Sealing-bar Size/双封条尺寸: 620X10mm(DZP620/2SA)
720X10mm(DZP720/2SA)
Distance between sealing bar 封条中心距: 500mm & 540mm
Pump Capacity/真空泵: 2.2KW/63m³ (DZP620/2SA)
3KW/100m³ (DZP720/2SA)
Automatic Cover closing 自动摆盖功能



DZ400/2SR & DZ500/2SR & DZ600/2SR
Double Chamber Vacuum Packing Machine
双室真空包装机
Chamber Size/真空室尺寸: 540X470X50mm(DZ400/2SR)
540X570X50mm(DZ500/2SR) 540X670X50mm(DZ600/2SR)
Sealing-bar Size/双封条尺寸: 400X10mm(DZ400/2SR)
500X10mm(DZ500/2SB) & 600X10mm(DZ600/2SB)
Pump Capacity/真空泵: 900W / 20m³ (DZ400/2SB)
2PCS 20m³ for DZ500/2SB & 1.5KW/40m³ for DZ600/2SB
Options: Nitrogen Filling Function 可选充氮气功能



DZ700/2SB & DZ800/2SB
Double Chamber Vacuum Packing Machine
双室平板真空包装机
Chamber Size/真空室尺寸: 700X500X90mm (DZ700/2SB)
830X750X90mm (DZ800/2SB)
Sealing-bar Size/双封条尺寸: 700X10mm (DZ700/2SB)
800X10mm (DZ800/2SB)
Distance between sealing bar 封条中心距: 540mm & 600mm
Pump Capacity/真空泵: 2KW/63m³ (DZ700/2SB)
3KW/100m³ (DZ800/2SB)
Options: Nitrogen Filling Function 可选充氮气功能



DZP820/2SA & DZP920/2SA
Double Chamber Vacuum Packing Machine
双室平板真空包装机 (自动摆盖)
Chamber Size/真空室尺寸: 850X800X185mm(DZP820/2SA)
950X880X185mm(DZP920/2SA)
Sealing-bar Size/双封条尺寸: 820X10mm(DZP820/2SA)
920X10mm(DZP920/2SA)
Distance between sealing bar 封条中心距: 740mm & 800mm
Pump Capacity/真空泵: 5KW/200m³
Automatic Cover closing 自动摆盖功能

Vacuum Packaging Machine
真空包装机系列



BTS400L/V & BTS400L/E & BTS400L/S
Automatic Tray Sealer with Gas Flushing Inflation
气调保鲜包装机
Max. Tray Size/最大盒子尺寸: 490X330X50mm
2pcs 330X230X50mm or 4pcs 230X150X50mm
Max. Width of Film/最大膜宽: 390mm
Max. Diameter of Film/最大膜卷直径: 200mm
Packing Speed/包装速度: 3 cycle/min.
Pump Capacity/真空泵: 100m³ (BTS400L/V)
Options: Vacuum & Sealing (BTS400L/V)
Nitrogen Filling(BTS400L/E)&Sealing Only(BTS400L/S)



BTS400T/E & BTS400T/S
Tabletop Tray Sealer with Gas Flushing Inflation
气调保鲜包装机
Max. Tray Size/最大盒子尺寸: 330X220X50mm
or 2pcs 220X150X50mm
Max. Width of Film/最大膜宽: 390mm
Max. Diameter of Film/最大膜卷直径: 200mm
Packing Speed/包装速度: 3 cycle/min.
Options: Nitrogen Filling (BTS400T/E)
Sealing Only (BTS400T/S)



BVS250T & BVS300T
Tabletop Tray Vacuum Skin Packager
台式真空贴体包装机
Max. Tray Size/最大盒子尺寸: 350X260X50mm
250X200X50mm (BVS250T)
Max. Width of Film/最大膜宽: 250mm&320mm
Max. Diameter of Film/最大膜卷直径: 180mm
Packing Speed/包装速度: 2 cycle/min.
Pump Capacity/真空泵: 10m³ & 20m³



BTS180 & BTS265
Tabletop Tray Sealer
台式封盒机
Max. Tray Size/最大盒子尺寸: 240X140X50mm & 300X220X50mm
Film Width/最大膜宽: 180mm & 265mm
Film Diameter/最大膜卷直径: 180mm



VM660VB/S & VM770VB/S
Double Face Shaping Vacuum Packager
双面整形真空包装机
Chamber Size/真空室尺寸: 680X510X90mm
Chamber Size/真空室尺寸: 840X650X130mm
Sealing-bar Size/封条尺寸: 660X10mm
Sealing-bar Size/封条尺寸: 770X10mm
Pump Capacity/真空泵: 900W / 20m³
Vacuum Time/真空循环时间: 10-25 sec.



DZ600L & DZ600L/S
External Vacuum Packing Machine
外抽式真空包装机
Sealing-bar Size/封条尺寸: 600X10mm
Pump Capacity/真空泵: 900W / 20m³
Vacuum Time/真空循环时间: 10-25 sec.
DZ600L/S with Stainless Steel Body
Options: Other Sealing Size/可选任意封口尺寸



DZ500W/T & DZ500W/TS
Tabletop External Vacuum Packager
台式外抽式真空包装机
Sealing-bar Size/封条尺寸: 500X10mm
Pump Capacity/真空泵: 375W / 10m³
Vacuum Time/真空循环时间: 10-25 sec.
DZ500W/TS with Stainless Steel Body



DZ650/LG
Vertical Vacuum Packing Machine
立式真空包装机
Power Supply/电源: 110V or 220V/50-60Hz
Chamber size/真空室尺寸:L650×R450 X H800mm
Single Sealing bar/封条尺寸: 600*10mm
Pump Capacity/真空泵: 20m³/hour, 900W



VFM320 & VFM420 & VFM520
Flexible Thermoforming Vacuum Packing Machine
热成型拉伸膜真空包装机
Up Film Width/上膜宽度: 295mm & 395mm & 495mm
Up Film Width/上膜宽度: 322mm & 422mm & 522mm
Container Depth/成型深度: 80mm & 110mm & 120mm
Pump Capacity/真空泵: 200m³
Packing Speed/包装速度: 4-6 cycle/min.
Container Shape/包装形式: Square, elliptical, circular



SVM760
Vacuum Skin Packing Machine
真空贴体包装机
Power Supply/电源: 3P, 220V or 380V/50-60Hz
Tray size/盒子尺寸: 250×170 X 20mm
& 260×190×25mm
Film Width/膜宽: 760mm
Pump Capacity/真空泵: 100m³/hour, 2KW
Any Try Size Accept Special Made

Rotary Pouch Packing Machine & House-hold Vacuum Sealer
旋转式给袋包装机家用真空包装机



BRP8-200R
Automatic Rotary Pouch Packing Machine
自动给袋式包装机
No. of Working Station /工位数量: 8
Bag Size/袋子尺寸: L100-320, W100-210mm
Packing Capacity/包装容量: 30-2500g
Capacity/工作效率: 35-60bag/min. for Common bag
& 10-45bags/min. for Zipper Bag
Air Source/气源: 0.6-0.8Mpa, 450nl/min.
Options: Multi-weigher, Z-type Feed, Screw Feed



BX3050
Blister Packing Machine
吸塑包装机
Working Space/工作台尺寸: 480X340mm
Max. Product Height/包装物高度: 10-150mm
Diameter of Turntable/装盘直径: 980mm
Capacity/工作速度: 6-15cycle/min.



BCW30
Automatic Check Weigher
自动选别称
Check Weight /检测重量: 5g - 30kg
Conveyor Width: 400mm
Check Capacity/检测速度: 10-30pcs/min.
Dynamic accuracy/动态精度: ±5g(5g-10k) ±10g(10kg-20kg)
Options: Any Weight, Any width of conveyor belt.



BMW10L1.6/2.5
Multi-head Weigher
多头称
Max. Weigh Capacity/最大称重: 10-1500g
Weigh Accuracy/称重精度: 0.1-1.5g
Weigh Speed/称重速度: 70WPM
Hopper Capacity/称斗容量: 1600ml & 2500ml
Options: 14 heads or 20 heads



TB390 & TB540
Skin Packing Machine
贴体包装机
Working Space/工作台尺寸: 540X390mm(TB390) 780X540mm(TB540)
Pump Capacity/真空泵: 20m³ & 40m³
Vacuum Time/真空循环时间: 10-25 sec.



DZ280A
House-hold Vacuum Sealer
家用真空封口机
Sealing Size/封口尺寸: 280X2mm



P290
House-hold Vacuum Sealer
家用真空封口机
Sealing Size/封口尺寸: 290X5mm



P350A
House-hold Vacuum Sealer
家用真空封口机
Sealing Size/封口尺寸: 350X6mm



PW300A
House-hold Vacuum Sealer
家用真空封口机
Sealing Size/封口尺寸: 300X6mm



HW450 & HW550
Hand Wrapper
手动保鲜膜机
Sealing Length: 450mm & 550mm
Options: S.S 201 Material Tw450



DZ280P
House-hold Vacuum Sealer
家用真空封口机
Sealing Size/封口尺寸: 300X4mm



V9
House-hold Vacuum Sealer
家用真空封口机
Sealing Size/封口尺寸: 300X2mm



HV300
House-hold Vacuum Sealer
家用真空封口机
Max. Sealing Size/封口尺寸: 300*2mm

Continuous Band Sealer&Ink Coding Band Sealer
连续封口机及印字封口机系列



SF150W/P & SF150W/S
Continuous Band Sealer
连续封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm



SF150W/S250
Continuous Band Sealer
连续封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 250mm

Available
400mm width belt



SF150W/SL
Continuous Band Sealer
连续封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm
Distance from bag mouth to sealing 70mm



SF150W/SC(With Counter)
Continuous Band Sealer
连续封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm
Conveyor Load/输送台载重: 3kgs



SF150LD/P & SF150LD/S
Continuous Band Sealer
连续封口机 (带落地脚架)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.



SF150LW/P & SF150LW/S
Continuous Band Sealer
连续封口机 (立卧两用)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Max. Height of bag/最高袋子: 420mm



FRD1000LW/P & FRD1000LW/S
Solid-Ink Coding Band Sealer
墨轮印字连续封口机 (立卧两用)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Printing letter/印字数: 2 lines 15 letters
Max. Height of bag/最高袋子: 420mm



FRD1000LD/P & FRD1000LD/S
Solid-Ink Coding Band Sealer
墨轮印字连续封口机 (带落地脚架)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm
Printing letter/印字数: 2 lines 15 letters




FRD1000W/P & FRD1000W/S
Solid-Ink Coding Band Sealer
墨轮印字连续封口机 (标准型)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm
Printing letter/印字数: 2 lines 15 letters




FRD1000W/S250
Solid-Ink Coding Band Sealer
墨轮印字连续封口机 (加宽输送台)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 250mm
Printing letter/印字数: 2 lines 15 letters


Available
400mm width belt



FRD1000W/SC (With Counter)
Solid-Ink Coding Band Sealer
墨轮印字连续封口机 (计数型)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm
Printing letter/印字数: 2 lines 15 letters



FRD1000W/SO (Opposite Direction)
Solid-Ink Coding Band Sealer
墨轮印字连续封口机 (反向型)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm
Printing letter/印字数: 2 lines 15 letters



SF150G/P & SF150G/S
Continuous Gas Filling Band Sealer
充气封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.



FRD1000G/P & FRD1000G/S
Gas Filling & Coding Band Sealer
充气封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.



SF150N/DS
Nitrogen Filling Band Sealer
连续封口机 (充气款)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.



FR580
Mini Band Sealer 迷你封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-12m/min.



FR550
Mini Band Sealer 迷你封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-12m/min.

Continuous Band Sealer&Ink Coding Band Sealer
连续封口机及印字封口机系列




FR900W/P & FR900W/S
Continuous Band Sealer(Economy)
连续封口机 (经济款)
Sealing Speed/封口速度: 0-16m/min.
Aluminum Heat & Cooling Block 加热&散热铝棒
Small Motor & Nylon Gear 小电机&尼龙齿轮



FR750W/P & FR750W/S
Continuous Band Sealer(Economy)
连续封口机 (经济款)
Sealing Speed/封口速度: 0-16m/min.
Copper Heat Block & Aluminum Cooling Block
Small Motor & Metal Gear 小电机&铁齿轮



SF150W/S20 & SF150W/S27
Continuous Band Sealer
连续封口机 (宽封口)
Sealing Width/封口宽度: 20mm & 27mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm



FRD1000W/S20 & FRD1000W/S27
Solid-Ink Coding Band Sealer
墨轮印字封口机 (宽封口)
Sealing Width/封口宽度: 20mm & 27mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm



FRL150A/P & FRL150A/S
Vertical Band Sealer
立式封口机 (中型)
Sealing Width/封口宽度: 10mm
Conveyor Width/输送台宽度: 150mm
Conveyor Loading/输送台载重: 10kgs
Distance from C.V to Sealing: 115-580mm



FRL150B/P & FRL150B/S
Vertical Ink Coding Band Sealer
立式印字封口机 (中型)
Sealing Width/封口宽度: 10mm
Conveyor Width/输送台宽度: 150mm
Conveyor Loading/输送台载重: 10kgs
Distance from C.V to Sealing: 115-580mm




FRL200A/P & FRL200A/S
Heavy Duty Vertical Band Sealer
重载立式印字封口机
Sealing Width/封口宽度: 10mm
Conveyor Width/输送台宽度: 200mm
Conveyor Loading/输送台载重: 30kgs
Distance from C.V to Sealing: 80-620mm



FRL200B/P & FRL200B/S
Heavy Duty Vertical Band Sealer
重载立式印字封口机
Sealing Width/封口宽度: 10mm
Conveyor Width/输送台宽度: 200mm
Conveyor Loading/输送台载重: 30kgs
Distance from C.V to Sealing: 80-620mm



FRD1000W/SL100
Solid-Ink Coding Band Sealer
墨轮印字封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm
Distance from bag mouth to sealing 100mm




FRD1000W/SL
Solid-Ink Coding Band Sealer
墨轮印字封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm
Distance from bag mouth to sealing 70mm



SF150N/S
Nitrogen Filling Band Sealer
充气封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm
*Requires Nitrogen or Air Source



FRD1000N/S
Nitrogen Filling Ink Coding Sealer
充气墨轮印字封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 150mm
*Requires Nitrogen or Air Source



FRD1000NV/S & SF150NV/S
Vacuum & Nitrogen Filling Band Sealer
真空充气印字封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Available Nitrogen Filling function only or Vacuum Sealer Only or Vacuum & Nitrogen Filling both. 可选择单充气、单真空或真空充气功能。



FRL150B/SL100
Vertical Ink Coding Band Sealer
立式印字封口机
Sealing Width/封口宽度: 150mm
Conveyor Loading/输送台载重: 10kgs
Distance from C.V to bag mouth: 100-600mm
Max. Dist. from bag mouth to sealing 100mm



FPM150E/V(With Ink-jet Printer)
Continuous Band Sealer
喷码印字封口机
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Lines/最大喷码行数: 6 lines
Ink Color/颜色: Black/Red/Green/Blue/White
Languages/操作语言: 中文, English, Arabic, Turkish, Spanish, Portuguese, Korean, Russian
Available with stand **FPM150E/D**



FPM150E(With Ink-jet Printer)
Continuous Band Sealer
喷码印字封口机
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Lines/最大喷码行数: 6 lines
Ink Color/颜色: Black/Red/Green/Blue/White
Languages/操作语言: 中文, English, Arabic, Turkish, Spanish, Portuguese, Korean, Russian
Available with stand **FPM150E/D**

Continuous Band Sealer&Ink-jet Printing Sealer
连续封口机及喷码封口机系列



FRW200NA/P & FRW200NA/S
Heavy Duty Band Sealer
重载连续封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 200mm
Conveyor Loading/输送台载重: 15kgs
With Ink Printer/带墨轮印字



FRW200NB/P & FRW200NB/S
Heavy Duty Band Sealer
重载连续封口机 (With Ink Coding)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 200mm
Conveyor Loading/输送台载重: 15kgs
With embossing printer/带钢印



FRL600NB/P & FRL600NB/S
Vertical Band Sealer
重载立式封口机 (With Ink Coding)
Sealing Width/封口宽度: 10mm
Conveyor Width/输送台宽度: 200mm
Conveyor Loading/输送台载重: 15kgs
Max. Distance from C.V to Sealing: 600mm
With Ink Printer/带墨轮印字



FRL600NA/P & FRL600NA/S
Heavy Duty Band Sealer
重载连续封口机
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Conveyor Width/输送台宽度: 200mm
Conveyor Loading/输送台载重: 15kgs
With embossing printer/带钢印



FPM1000NV/S (With Ink-jet Printer)
Vacuum & Nitrogen Filling Band Sealer
真空&充气喷码封口机
Vacuum Pump Capacity/真空泵: 900W/20m³
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Lines/最大印字行数: 6 lines
Ink Color/墨盒颜色: Black/Red/Green/Blue/White
Languages/操作语言: 中文/English/Arabic/Korea
Portuguese/Spanish/Japanese/Turkish/Thai
Available M.S body with Paint or S.S body



FPM200W (With Ink-jet Printer)
Heavy Duty Band Sealer (New)
重载喷码封口机
Sealing Width/封口宽度: 10mm
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Lines/最大印字行数: 6 lines
Ink Color/墨盒颜色: Black/Red/Green/Blue/White
Languages/操作语言: 中文/English/Arabic/Korea
Portuguese/Spanish/Japanese/Turkish/Thai
Available M.S body with Paint or S.S body



FPM600L/S
Vertical Band Sealer With Ink-jet Printer
重载立式喷码封口机
Sealing Width/封口宽度: 10mm
Conveyor Width/输送台宽度: 200mm
Conveyor Loading/输送台载重: 15kgs
Max. Distance from C.V to Sealing: 600mm
Printer Specification same as FPM200W



FRV1000N/P & FRV1000N/S
Vacuum & Nitrogen Filling Band Sealer
真空&充气封口机 (With Ink Coding)
Sealing Width/封口宽度: 10mm
Sealing Speed/封口速度: 0-24m/min.
Pump Capacity/真空泵: 900W/20m³
Air source: 1-2bar
Available Vacuum Seal only or Nitrogen Filling only or Vacuum & Nitrogen filling both. 可选真空封口或单充气封口或同时。



FRW200NV/P & FRW200NV/S
Vacuum & Nitrogen Filling Band Sealer
真空&充气喷码封口机 (平移款)
Vacuum Pump Capacity/真空泵: 900W/20m³
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Lines/最大印字行数: 6 lines
Ink Color/墨盒颜色: Black/Red/Green/Blue/White
Languages/操作语言: 中文/English/Arabic/Korea
Portuguese/Spanish/Japanese/Turkish/Thai
Vacuum Function Operate during the translation process.



QF600L & QF600L/S
Vertical Pneumatic Sealing Machine
气动大袋立式封口机
Sealing Width/封口宽度: 10mm
Sealing Length/封口长度: 600mm
Distance from table to sealing: 150-800mm
Max. Roller table Loading: 50kg
Sealing Header angle adjustable 20degree
Options: * Double Sealing
* 700/800/1000mm Sealing Length.

Impulse Hand Sealer & Pedal Sealer
瞬热式手压封口机及脚踏封口机系列



PCS100P/200P/300P
Impulse Sealer (Plastic Body)
手压封口机
Sealing Length/封口长度: 100X2mm&200X2mm&300X2mm



PCS200I/300I/400I
Impulse Sealer (Iron Body)
手压封口机
Sealing Length/封口长度: 200X2mm & 300X2mm & 400X2mm



PCS200A/300A/400A
Impulse Sealer (Aluminum Body)
手压封口机
Sealing Length/封口长度: 200X2mm & 300X2mm & 400X2mm



PCS200M/300M
Impulse Sealer (Aluminum Body)
手压封口机 (Middle Cut Model)
Sealing Length/封口长度: 200X2mm & 300X2mm



PCS200C/300C
Impulse Sealer (Aluminum Body)
手压封口机 (Side Cut Model)
Sealing Length/封口长度: 200X2mm & 300X2mm



PFS-F350/F450/F600
Pedal Sealing Machine
铝架脚踏封口机
Sealing Width/封口宽度: 3mm
Seal Length/长度: 350/450/600mm
Options: * Double Sealing
* 5mm/8mm/10mm Sealing Width



PFS-P350/P450/P600
Pedal Sealer With Printer
脚踏封口机 (带打码)
All technical specification same as PFS-F series Pedal Sealer
Optional Sealing Methods for Straight Lines and Cross Lines.



PFS-D200/D300/D400
Constant Heat Sealer
恒温式脚踏封口机
Sealing Width/封口宽度: 10mm
Seal Length/长度: 200/300/400mm
Optional Sealing Methods for Straight Lines and Cross Lines.



PFS-M350/M450/M600
Magnetic Suction Sealing Machine
自动磁吸封口机
Sealing Width/封口宽度: 3mm
Sealing Length/封口长度: 350/450/600mm
Pedal Switch & Auto. Model selection
Options: * Double Sealing
* 5mm/8mm/10mm Sealing Width

New



PFS-V350/V450/V600
Vertical Pedal Sealer
立式脚踏封口机
All technical specification same as PFS-F series Pedal Sealer
PFS-VD200/VD300/VD400
Constant Heater Vertical Sealer Available.



PFS-C400/C600
Pedal Sealer (With Cutter)
脚踏封口机 (带切刀)
Sealing Size: 400*2mm & 600*2mm & 800*2mm



FRP400T/600T/800T
Simple Pedal Sealer
通过式脚踏封口机
Sealing Size: 400*2mm & 600*2mm & 800*2mm



PFS-MT350/MT450/MT600
Table Sealer (Impulse Heat)
台式磁吸封口机
Sealing Width/封口宽度: 3mm
Sealing Length/封口长度: 350/450/600mm
Pedal Switch & Auto. Model selection
Options: * Double Sealing
* 5mm/8mm/10mm Sealing Width



PFS-T450/T600
Table Sealer (Impulse Heat)
台式封口机 (瞬热型)
Sealing Width/封口宽度: 3mm
Sealing Length/封口长度: 450/600mm
Pedal Switch & Auto. Model selection
Options: * Double Sealing



PS450/600
I-Bar Sealer (Impulse Heat)
I型封口机 (瞬热型)
Sealing Length/封口长度: 450/600mm



DK50Z
Capping Machine
瓶盖锁口机
Plastic Cap Model



DK50D
Capping Machine
瓶盖锁口机
Metal Cap Model



BEBP400
Express Bag Packing Machine
快速袋包装机
Bag Size/塑料袋规格: W200-400mm, L200-500mm
Label Size/面单尺寸: W40-100mm, L40-180mm
Packing Speed/包装速度: 500-800bag/min.
Air Source/气源: 0.6-0.8Mpa, 450nl/min.



BEBP550 (With Printer Model)
Express Bag Packing Machine
快速袋包装机
Bag Size/塑料袋规格: W200-550mm, L260-800mm
Label Size/面单尺寸: W40-100mm, L40-180mm
Packing Speed/包装速度: 500-1200bag/min.
Air Source/气源: 0.6-0.8Mpa, 450nl/min.

Pallet Stretch Wrapping Machine&Pillow Packer
缠绕膜包装机及枕式包装机系列



BL2000A & BL2000P
Pallet Stretch Wrapping Machine
自动缠绕膜包装机
Power Supply/电源电压: 3P,220V or 380V/50-60Hz
Turntable Diameter/转盘直径: Φ1650mm
(Φ2000mm are option)
Truntable Thickness/装盘厚度: 85mm
Speed of Turntable/转盘转速: 0-12r/min.
Max. Wrapper Height/包装高度: 2000mm
Max. Loading of Turntable/转盘承载: 2000kgs
Percent of Pre-stretch/预拉伸比: 250% (BL2000P)



BL2000B(With Top press)
Pallet Stretch Wrapping Machine
自动缠绕膜包装机(带压顶)
Power Supply/电源电压: 220V/50-60Hz
Turntable Diameter/转盘直径: Φ1650mm
(Φ2000mm are option)
Truntable Thickness/装盘厚度: 85mm
Speed of Turntable/转盘转速: 0-12r/min.
Max. Wrapper Height/包装高度: 2000mm
Max. Loading of Turntable/转盘承载: 2000kgs
Percent of Pre-stretch/预拉伸比: 250%



BL2000D(On line model)
Pallet Stretch Wrapping Machine
自动缠绕膜包装机(带压顶)
Power Supply/电源电压: 220V/50-60Hz 2.9KW
Turntable Diameter/转盘直径: Φ2000mm
Turntable Height/转盘高度: 500mm
Pallet Size/托盘规格: L500-1200×W500-1200×H1800mm
Speed of Turntable/转盘转速: 0-15r/min.
Max. Loading of Turntable/转盘承载: 2000kgs
Percent of Pre-stretch/预拉伸比: 250%



BL600R
Robot Stretch Wrapping Machine
自动缠绕膜包装机(自走式)
Power Supply/电源电压: 220V/50-60Hz
Wrapping Height/转盘高度: 1800mm
Min. Pallet Size/托盘规格: L600×W600×H700mm



BL600L
Luggage Wrapping Machine
行李缠绕膜机
Wrapping Size/缠绕尺寸: (40-80)×(18-45)×(35-50)cm
Diameter of Turntable/转盘直径: 600mm
Max. Turntable loading /最大转盘承载: 100kgs
Speed of Turntable/转盘速度: 20r/min.
Height of Turntable/转盘高度: 250mm



DBC800S
Semi-auto. Wrapping Machine
半自动缠绕膜包装机
Max. Wrapping Size/最大缠绕尺寸: 900×900×900mm
Max. Turntable loading /最大转盘承载: 80kgs
Speed of Turntable/转盘速度: 30r/min.
Max. Wrapping Film Diameter/最大膜卷宽度: 300mm



DZB300W
Automatic Pillow Packing Machine
自动枕式包装机
Packing Capacity/包装速度: 50-200 bags/min.
Bag Size/制袋尺寸: L40-140mm, W20-100mm, H5-35mm
L100-300mm, W40-140mm, H20-70mm
Max. Film Width/最大膜宽: 300mm



DZB600/SV
Automatic Pillow Packing Machine
自动枕式包装机
Power Supply/电源: 110V or 220-240V/50-60Hz 3.2KW
Packing Capacity/包装速度: 10-60 bags/min.
Bag Size/制袋尺寸: L150-500mm, W20-280mm, H5-110mm
Max. Film Width/最大膜宽: 600mm
3 Servo Motors Model/三伺服

Automatic Vertical Packing Machine
自动立式包装机系列



DXDL80C (Liquid Type)
Automatic Vertical Packing Machine
自动立式包装机
Packing Capacity/包装容量: 10-100ml
Bag Size/制袋尺寸: L40-150, W30-100mm
Shape of bag/制袋形式: 3 side sealing,
4side sealing & back side sealing are option



DXDK80C (Granule Type)
Automatic Vertical Packing Machine
自动立式包装机
Packing Capacity/包装容量: 10-100ml
Bag Size/制袋尺寸: L40-150, W30-100mm
Shape of bag/制袋形式: 3 side sealing,
4side sealing & back side sealing are option



DXDF60C (Powder Type)
Automatic Vertical Packing Machine
自动立式包装机
Packing Capacity/包装容量: 10-100ml
Bag Size/制袋尺寸: L40-150, W30-100mm
Shape of bag/制袋形式: 3 side sealing,
4side sealing & back side sealing are option



DXD600 & DXD1000
Automatic Liquid Packing Machine
立式液体包装机
Packing Capacity/包装容量: 100-500ml & 200-1000ml
Bag Size/制袋尺寸: L50-170, W50-150mm
L50-205, W50-170mm (DXD1000)
Shape of bag/制袋形式: back side sealing



DXDL-S100
Automatic Liquid Packing Machine
自动液体包装机
Filling Capacity/灌装容量: 5-100ml
Bag Size/制袋尺寸: L50-150mm, W25-120mm
Film Width/卷膜宽度: W60-240mm
Packing Speed/包装速度: 30-60bag/min.
Air Source/气源: 0.7Mpa 450nl/min.



BVP420F (Powder Type)
Automatic Vertical Packing Machine
自动立式包装机
Packing Capacity/包装容量: 150-1000ml
Bag Size/制袋尺寸: L80-300, W50-200mm
Shape of bag/制袋形式: 3 side sealing,
4side sealing & back side sealing are option



DXD200S & DXD1200S
Automatic Weighing & Packing Machine
立式称重包装机
Packing Capacity/包装容量: 20-200g & 200-1200ml
Bag Size/制袋尺寸: L20-160, W20-200mm
L50-390mm, W20-200mm (DXD1200S)
Shape of bag/制袋形式: back side sealing
Capacity/包装速度: 20-30bags/min.



BVP-65XBK (High Speed)
Granule Packing Machine
高速颗粒包装机
Packing Capacity/包装容量: 1-100g
Bag Size/制袋尺寸: L30-180mm, W20-75mm
Packing Speed/包装速度: 80-120bags/min.
Shape of bag/制袋形式: Back Side Sealing, Three
Side Sealing & Four side Sealing are option.



BVP-61XBF (High Speed)
Auto. Powder Packing Machine
高速粉末包装机
Packing Capacity/包装容量: 3-100ml
Bag Size/制袋尺寸: L30-190mm, W30-130mm
Packing Speed/包装速度: 30-70bags/min.
Shape of bag/制袋形式: Back Sealing, Three
Side Sealing & Four side Sealing are option.



BVP-61XAJ (High Speed)
Automatic Paste Packing Machine
自动酱料包装机
Packing Capacity/包装容量: 3-100ml
Bag Size/制袋尺寸: L30-180mm, W20-75mm
Packing Speed/包装速度: 30-70bags/min.
Shape of bag/制袋形式: Back Sealing &
Three Side Sealing are option.



BVP-80IIF
Automatic Powder Packing Machine
自动粉末包装机
Packing Capacity/包装容量: 100g-1kg
Bag Size/制袋尺寸: L60-300mm, W40-200mm
Packing Speed/包装速度: 10-30bags/min.
Shape of bag/制袋形式: Back Sealing, Three
Side Sealing & Four side Sealing are option.

Cup Sealer & Continuous Induction Sealer
封盖/盒机及电磁感应封口机系列



FRG2001E
Automatic Cup Filling & Sealing Machine
全自动盒杯灌装封盖机
Options: Any Size Round Cup or Tray, 2lines or 4lines
Roll Film or Piece Film, Pump Filling or Cylinder Filling



FRG2001B
Semi-automatic Cup Sealer
半自动封盖机
Options: Any Size Round Cup or Tray



FRG2001D
Coffee Cup Sealer
半自动封盖机
Options: Any Size Round Cup or Tray



FRG2001T
Automatic Tray Sealer
自动封盒机
Options: 1Tray -4Tray



LGYF2200
Online Continuous Induction Sealer
在线式感应封口机
Power Supply/电源: 110V or 220V/50-60Hz, 2.3KW
Sealing Diameter/封口直径: Φ30-150mm
Vertical Adjusting Height/垂直可调范围: 0-800mm
Horizontal Adjusting Size/横向可调范围: 0-260mm
Sealing Speed/速度: 80-300pcs/min
Stainless Steel & Aluminum Body



LGYF2200/C (With Conveyor)
Online Continuous Induction Sealer
在线式感应封口机
Stainless Steel & Aluminum Body



LGYF2000BX
Air-Cooled Continuous Induction Sealer
风冷式连续感应封口机
Power Supply/电源: 110V or 220V/50-60Hz, 2KW
Sealing Diameter/封口直径: Φ30-120mm
Sealing Height/产品高度范围: 40-400mm
Sealing Speed/封口速度: 70-120pcs/min.
With 1.5meter Conveyor



ATB1200
Arrange/Collect Turntable
理瓶/收瓶转台
Turn table Diameter/转盘直径: Φ1200mm
Working Table Height/工作台面高度: 800+50mm
Options: Any size of diameter or height



LGY53000
Water-Cooled Continuous Induction Sealer
水冷连续感应封口机
Power Supply/电源: 110V or 220V/50-60Hz, 3KW
Sealing Diameter/ : 20-150mm
Sealing Height/ : 20-400mm
Conveyor Spee



FL1500A & FL2000A
Continuous Induction Sealer
连续式感应封口机
Suitable Cap Diameter/有效瓶盖直径:
20-50mm & 20-130mm for FL2000A



DGYF5000A & DGYF500C
Protatable Induction Sealer
电磁感应封口机
Suitable Cap Diameter/有效瓶盖直径:
20-100mm & 60-130mm for DGYF500C

Automatic Filling Machine
自动灌装机系列



DYF(Table Model)
Single Nozzle Liquid Filling Machine
台式单头液体灌装机
Filling Capacity/灌装容量: 10-100ml (DYF100)
30-300ml (DYF300) & 50-500ml (DYF500)
100-1000ml (DYF1000) & 250-2500ml (DYF2500)



SYF(Table Model)
Double Nozzle Liquid Filling Machine
台式双头液体灌装机
Filling Capacity/灌装容量: 10-100ml (SYF100)
30-300ml (SYF300) & 50-500ml (SYF500)
100-1000ml (SYF1000) & 250-2500ml (SYF2500)



DGF(Table Model)
Single Nozzle Paste Filling Machine
台式单头膏体灌装机
Filling Capacity/灌装容量: 10-100ml (DGF100)
30-300ml (DGF300) & 50-500ml (DGF500)
100-1000ml (DGF1000) & 250-2500ml (DGF2500)




SGF(Table Model)
Double Nozzle Paste Filling Machine
台式双头膏体灌装机
Filling Capacity/灌装容量: 10-100ml (SGF100)
30-300ml (SGF300) & 50-500ml (SGF500)
100-1000ml (SGF1000) & 250-2500ml (SGF2500)



DYF/D(With Stand)
Single Nozzle Liquid Filling Machine
立式单头液体灌装机
Filling Capacity/灌装容量: 10-100ml (DYF100)
30-300ml (DYF300) & 50-500ml (DYF500)
100-1000ml (DYF1000) & 250-2500ml (DYF2500)
Option Table Model **DYF**



DGF/D(With Stand)
Single Nozzle Paste Filling Machine
立式单头膏体灌装机
Filling Capacity/灌装容量: 10-100ml (SGF100)
30-300ml (SGF300) & 50-500ml (SGF500)
100-1000ml (SGF1000) & 250-2500ml (SGF2500)
Option Table Model **DGF**



AYF/4D(4 Nozzle)
Automatic Liquid Filling Machine
自动液体灌装机
Filling Capacity/灌装容量: 10-100ml or 30-300ml
or 50-500ml or 100-1000ml or 250-2500ml
or 500-5000ml
Capacity/工作效率: 30-60bottle/min.



EWM2000/3000/5000
Automatic Electric Weigh Filler
自动电子称重灌装机
Filling Capacity/最大称量: 2kg/3kg/5kg
Weighing Accuracy/称量精度: +-0.5%
Packing Speed/包装速度: 8-25times/min.



KFG250 & KFG500 & KFG1000
Automatic Granule/Powder Filling Machine
自动颗粒/粉剂灌装机
Packing Capacity/包装容量: 50-250ml, 200-500ml
500-1000ml, 1000-2000ml
Body Material/外壳材质: M.S or S.S are option



AGF/4D(4 Nozzle)
Automatic Paste Filling Machine
自动膏体灌装机
Filling Capacity/灌装容量: 10-100ml or 30-300ml
or 50-500ml or 100-1000ml or 250-2500ml
or 500-5000ml
Capacity/工作效率: 30-60bottle/min.


Coding Machine&Inkjet Printing Machine 自动打码机及喷码机系列



DDYM520 (Square Mould)
Pad Printing Machine
油墨移印机
Capacity/工作效率: 10-30 Pcs/min.
Round Mould are option **DDYM520A**



MY380F/W
Solid-ink Coding Machine
固体墨轮标示机
Max. Printing Line/最多印字符数:
11 lines 10letters(T type letter)
8 lines 8letters (R type letter)
Max. Object Size/最大印物尺寸:
L45-500mm W30-300mm




MY380F
Solid-ink Coding Machine
固体墨轮标示机
Max. Printing Line/最多印字符数:
11 lines 10letters(T type letter)
8 lines 8letters (R type letter)
Max. Object Size/最大印物尺寸:
L45-500mm W30-190mm




MY300 & MY420
Solid-ink Coding Machine
固体墨轮标示机
Letter Size/字体尺寸: 2.5X1.5, 2.5X2, 3X2, 5X2.5
Max. Object Size/最大印物尺寸:
L60-600mm W35-300mm & W50-420mm



HP241B & HP241C
Color Ribbon Hot Printer
色带热打码机
Max. Printing Line/最多印字符数:
2 lines 12 letters (HP241B)
3 lines 12 letters (HP241C)
Color Ribbon Width: 25/30/35mm



HP241
Color Ribbon Hot Printer
色带热打码机
Max. Printing Line/最多印字符数:
3 lines 12 letters
Color Ribbon Width: 25/30/35mm
Frame size/框架尺寸: 400/500/600mm



MS200
Lock & Follow Coding Machine
同步跟踪打码机
Max. Printing Line/最多印字符数:
3 lines 12 letters
Ink Roller Size/墨轮尺寸: 35X32mm
Frame size/框架尺寸: 400/500/600mm




HP351
Color Ribbon Hot Printer
色带热打码机
Max. Printing Line/最多印字符数:
3 lines 12 letters
Color Ribbon Width: 25/30/35mm



MX1
Inline Ink-jet Printer
在线式喷码机
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Lines/最大喷码行数: 6 lines
Languages/操作语言: 中文, English, Arabic, Turkish, Spanish, Portuguese, Korean, Russian



M7
Hand Ink-jet Printer
手持式喷码机
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Lines/最大喷码行数: 6 lines
Languages/操作语言: 中文, English, Arabic, Turkish, Spanish, Portuguese, Korean, Russian



T220E
Online Inkjet Printer
在线喷码机
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Lines/最大行数: 6 lines
Screen Size/屏幕尺寸: 7 inch
Available 40type of languages
Options 2heads with 25.4mm Font Height




T180ES
Online Inkjet Printer
在线喷码机
Printing Font Height/字体高度: 1.5-12.7mm
Max. Printing Lines/最大行数: 6 lines
Screen Size/屏幕尺寸: 5.5 inch
Available 40type of languages



ZE8B/2 & ZE8B/4
Paper Folding Machine
自动折纸机
Max. Paper Size/最大纸张尺寸: 315×735mm
& 315×1225mm for ZE8B/4
Min. Paper Size/最小纸张尺寸: 50×70mm
Folding Tray Number/折页数: 2 & 4
Folding Speed/速度: 80 pcs/min.



LM9130CO2
Laser Marking Machine
激光标识机
Laser Type/激光样式: CO2
Laser Power/激光功率: 30W(option 40/60W)
Marking Material: Non Metallic Materials
Laser Wavelength/激光波长: 10.6um
Min. Font Height/最小字高: 0.3mm



ACM24
Air Cushion Machine
缓冲气垫机
Sealing Speed: 1-12m/min.



ACM17
Air Cushion Machine
缓冲气垫机
Sealing Speed: 1-25m/min.



Inflatable air pillow
Materials: 3Layer HDPE Film
Size: 200*100mm
200*150mm
Length: 500m or 300m



Inflatable air bubble
Size: 400*285mm
Length: 500m or 300m

Roller/Belt Conveyor & Packing Tools 滚筒/皮带输送台及包装工具系列



RC1M & RC2M
Free Roller Conveyor
无动力滚筒输送台
Conveyor Width/有效宽度: 600mm
Conveyor Length/输送台长度: 1m & 2m
C.V Height/台面高度: 650mm or 850mm
Option Stainless Steel Body 可选不锈钢材质



RC1M/D & RC2M/D
Power Roller Conveyor
动力滚筒输送台
Conveyor Width/有效宽度: 520mm
Conveyor Length/输送台长度: 1m & 2m
C.V Height/台面高度: 650mm or 850mm
Option Stainless Steel Body 可选不锈钢材质



RCY90/D
90Degree Turn Roller Conveyor
90度动力旋转输送台
Conveyor Width/有效宽度: 520mm
Conveyor Length/输送台长度: 1320mm
C.V Height/台面高度: 650mm or 850mm
Option Stainless Steel Body 可选不锈钢材质



RC1M/90D
90Degree Push Roller Conveyor
90度动力转角输送台
Conveyor Width/有效宽度: 520mm
Conveyor Length/输送台长度: 1050mm
C.V Height/台面高度: 650mm or 850mm
Option Stainless Steel Body 可选不锈钢材质



BC300P/2M & BC300S/2M
Power Belt Conveyor
动力皮带输送台
Belt Width/有效宽度: 300mm & 400mm
Conveyor Length/输送台长度: 1m & 2m
C.V Height/台面高度: 650mm or 850mm
Options any width belt and Conveyor length



ERC3M & ERC4M & ERC5M
Extend Free Wheel Conveyor
拉伸滚轮输送台
Conveyor Width/有效宽度: 520mm
Conveyor Length/输送台长度: 3m or 4m or 5m
C.V Height/台面高度: 650-850mm
Options Free Roller Model ERC3M/R



ERC4M/D
Extend Power Roller Conveyor
拉伸动力输送台
Conveyor Width/有效宽度: 460mm
Conveyor Length/输送台长度: 4m
C.V Height/台面高度: 650-850mm



BPF50D/100D
Paging Conveyor
分页输送机
Conveyor Width: 250mm
Speed: 50m/min. & 100m/min.



BCP1M
Transfer Conveyor Platform
顶升移栽输送平台
Roller Width/滚筒宽度: 600mm
Conveyor Length/输送台长度: 1000mm
Working Table/工作台面高度: 650 or 850mm
Air Source/气压要求: 0.4-0.8Mpa
Any size of conveyor are options.



TL-B
Hand Pallet Truck
手动液压搬运车
Option: Plastic Wheel or Nylon Wheel
1Ton/2Ton



XV2
Battery Strapping Tool
电动打包机
Strap Type/适用打包带: PP/PET
Strap Width/带宽: 13-16mm
Lithium Battery/锂电池: 4.0Ah 57.6wh
Max. Tension: Up to 320kg



XJD13&XJD16
Battery Strapping Tool
电动打包机
Strap Type/适用打包带: PET or PP
Strap Width/带宽: 13/16mm
Lithium Battery/锂电池: 3.0Ah
Max. Tension: Up to 280kg



JDC13 & JDC16
Battery Strapping Tool
电动打包机
Strap Type/适用打包带: PP/PET
Strap Width/带宽: 13mm or 16mm
Lithium Battery/锂电池: 4.0Ah
Max. Tension: Up to 280kg



XDD19A & XDD25A
Battery Strapping Tool
电动打包机
Strap Type/适用打包带: PET
Strap Width/带宽: 16-19mm/19-25mm
Lithium Battery/锂电池: 4.0Ah 59.2Wh
Max. Tension: Up to 500kg



H405
Strap Dispenser
带盘车
Strap Core I.D./带盘内径: 405mm
Size/尺寸: 650*480*1100mm



XQD-19E & XDQ-25E
Pneumatic Strapping Machine
气动打包机
Strap Width: 13-19mm or 20-25mm
Max. Strapping Tension: 3500N
Air Source/气压: 0.5-0.8Mpa



B312/C310
Hand Strapping Tool
手动打包机
Strap Width: 9-19mm



HB812/HC810
Hand Strapping Tool
手动打包机
Steel Strap Width: 9-19mm



GK261
Sewing Machine
缝包机

Automatic Can Packing Line & Labeling Machine 自动灌类包装线及贴标机系列



Automatic Can Type Packaging Line

Function Include Automatic Can Arrangement turntable & Filling & Capping & Induction Sealing & Labeling Line & Collect Turntable.
Available choose all function or some of them.
Applicable industries: food industry, seasoning industry, pharmaceutical industry



ARLB160A
Automatic Labeling Machine
自动圆瓶贴标机 (抱瓶式)
Suitable Bottle Diameter/瓶子直径: 30-120mm
Label Size/标签尺寸: L30-180mm W30-130mm
Labeling Speed/贴标速度: 10-40 bottles/min.
Online Model ARLB160B, speed up to 60bpm.
Other Diameter bottle available.



AFLB175
Automatic Flat Labeling Machine
自动平面贴标机
Suitable Packing Size/产品尺寸: L40-250mm
W40-200mm, H0.2-100mm
Label Size/标签尺寸: L6-250mm W20-175mm
Labeling Speed/贴标速度: 40-120PCS/min.
Other Size Available.



ALBD200
Double Side Folding Labeling Machine
双面折角贴标机
Suitable Bottle Diameter/瓶子直径: 30-130mm
or Product size: W30-130mm, H30-360mm
Label Size/标签尺寸: L30-180mm W15-200mm
Labeling Speed/贴标速度: 30-80 bottles/min.
Other Size Packager Available.



TRLB120A
Tabletop Round Bottle Labeling Machine
台式圆瓶贴标机 (抱瓶式)
Suitable Bottle Diameter/瓶子直径: 25-100mm
Bottle Height/瓶子高度: 25mm-300mm
Label Size/标签尺寸: L20-285mm W20-175mm
Labeling Speed/贴标速度: 15-50 bottles/min.



TRLB120B
Tabletop Round Bottle Labeling Machine
台式圆瓶贴标机 (直线式)
Suitable Bottle Diameter/瓶子直径: 25-100mm
Bottle Height/瓶子高度: 25mm-230mm
Label Size/标签尺寸: L20-320mm W15-175mm
Labeling Speed/贴标速度: 30-80 bottles/min.




TFLB160
Tabletop Flat Labeling Machine
台式平面贴标机
Suitable Packing Size/产品尺寸: L40-400mm
W40-200mm, H0.2-100mm
Label Size/标签尺寸: L6-250mm W20-160mm
Labeling Speed/贴标速度: 30-80PCS/min.


Automatic Bottle Packing Line & Labeling Machine 自动灌类包装线及贴标机系列



BPL104
Online Printing & Labeling Machine
即时打印贴标机
Suitable Product Height: 5-300mm
Label Size: L30-200mm W30-110mm




MT50
Round Bottle Labeling Machine
半自动圆瓶贴标机
Suitable Bottle Diameter: 18-120mm
Label Size: L30-290mm W20-150mm
Label Roller Diameter: 260mm
Options: Label Width 250mm (MT50W)
& Printing Function (MT50C)



MT60
Semi-auto. Flat Labeling Machine
半自动平面贴标机
Suitable Product Height: 2-80mm
Label Size: L30-80mm W30-80mm
Label Roller Diameter: 260mm
Options: Printing Function (MT60C)



APF1000
Automatic Powder Filling Machine
自动粉剂灌装线
Filling Capacity/灌装容量: 100-1000ml
Working Speed/工作速度: 10-30PCS/min.
Measurement accuracy/计量误差: 1%
Option: Different filling capacity, multi-head.



Automatic Bottle Type Packaging Line

Function Include Automatic Bottle Arrangement turntable & Washing & Filling & Capping & Labeling Line & Collect Turntable.
Available choose all function or some of them.
Applicable industries: food industry, beverage industry, seasoning industry, pharmaceutical industry